


# Germa Flex

ABRASIVE PRODUCTS

Catalog  
2024 / 2025

---





## Contents

|                                                |         |
|------------------------------------------------|---------|
| Abrasive paper                                 | 4 - 24  |
| Waterproof abrasive paper                      | 25      |
| Abrasive screen mesh                           | 26      |
| Abrasive cloth                                 | 27 - 38 |
| Flexible sanding sponge block                  | 39 - 40 |
| Abrasive fibre discs                           | 41      |
| Abrasive non-woven                             | 42 - 45 |
| Abrasive flap discs                            | 46 - 49 |
| Abrasive flap wheels                           | 50 - 51 |
| Semi-flexible abrasive sanding discs           | 52      |
| Polishing discs                                | 53      |
| Diamond cutting blades                         | 54 - 56 |
| Diamond grinding cup wheels                    | 57      |
| Grinding cup wheels                            | 58      |
| Wire brushes                                   | 59 - 61 |
| Nylon brushes                                  | 62      |
| TCT Saw Blade                                  | 63      |
| Cutting and grinding discs for metal and stone | 64 - 70 |
| Grinding backing pads                          | 71 - 72 |
| Polishing materials                            | 73 - 75 |
| Accessories                                    | 76      |
| Certificate of safety                          | 77      |

## T/Red without holes

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | glue             |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| TRE 14647      | 125                        | without holes | 36   | 50            |
| TRE 14648      | 125                        | without holes | 40   | 50            |
| TRE 14649      | 125                        | without holes | 60   | 50            |
| TRE 14650      | 125                        | without holes | 80   | 50            |
| TRE 14651      | 125                        | without holes | 100  | 50            |
| TRE 14652      | 125                        | without holes | 120  | 50            |
| TRE 14653      | 125                        | without holes | 150  | 50            |
| TRE 14654      | 125                        | without holes | 180  | 50            |
| TRE 15775      | 125                        | without holes | 220  | 50            |
| TRE 14655      | 125                        | without holes | 240  | 50            |

## T/Red without holes

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | glue             |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

**Blister 5 pcs.**

| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| TRE 33413      | 125                        | without holes | 36   | 10            |
| TRE 33414      | 125                        | without holes | 40   | 10            |
| TRE 33415      | 125                        | without holes | 60   | 10            |
| TRE 33416      | 125                        | without holes | 80   | 10            |
| TRE 33417      | 125                        | without holes | 100  | 10            |
| TRE 33418      | 125                        | without holes | 120  | 10            |
| TRE 33419      | 125                        | without holes | 150  | 10            |
| TRE 33420      | 125                        | without holes | 180  | 10            |
| TRE 33421      | 125                        | without holes | 220  | 10            |
| TRE 33422      | 125                        | without holes | 240  | 10            |




## T/Red with 8 holes

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | glue             |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |


| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| TRE 15507      | 125                        | 8     | 36   | 50            |
| TRE 14664      | 125                        | 8     | 40   | 50            |
| TRE 14665      | 125                        | 8     | 60   | 50            |
| TRE 14666      | 125                        | 8     | 80   | 50            |
| TRE 14667      | 125                        | 8     | 100  | 50            |
| TRE 14668      | 125                        | 8     | 120  | 50            |
| TRE 14669      | 125                        | 8     | 150  | 50            |
| TRE 14670      | 125                        | 8     | 180  | 50            |
| TRE 15776      | 125                        | 8     | 220  | 50            |
| TRE 14671      | 125                        | 8     | 240  | 50            |

## T/Red with 8 holes

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | glue             |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |




### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

**Blister 5 pcs.**

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| TRE 33423      | 125                        | 8     | 36   | 10            |
| TRE 33424      | 125                        | 8     | 40   | 10            |
| TRE 33425      | 125                        | 8     | 60   | 10            |
| TRE 33426      | 125                        | 8     | 80   | 10            |
| TRE 33427      | 125                        | 8     | 100  | 10            |
| TRE 33428      | 125                        | 8     | 120  | 10            |
| TRE 33429      | 125                        | 8     | 150  | 10            |
| TRE 33430      | 125                        | 8     | 180  | 10            |
| TRE 33431      | 125                        | 8     | 220  | 10            |
| TRE 33432      | 125                        | 8     | 240  | 10            |



## Yellow

Abrasive paper sheets

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / length</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| YEL 15019      | 230 x 280                               | 40   | 50            |
| YEL 15020      | 230 x 280                               | 60   | 50            |
| YEL 15021      | 230 x 280                               | 80   | 50            |
| YEL 15022      | 230 x 280                               | 100  | 50            |
| YEL 15023      | 230 x 280                               | 120  | 50            |
| YEL 15024      | 230 x 280                               | 150  | 50            |
| YEL 15025      | 230 x 280                               | 180  | 50            |
| YEL 15026      | 230 x 280                               | 220  | 50            |
| YEL 15027      | 230 x 280                               | 240  | 50            |
| YEL 16148      | 230 x 280                               | 320  | 50            |
| YEL 16149      | 230 x 280                               | 400  | 50            |



## Yellow

Abrasive paper rolls

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width</i> | Grit | Package (meters) |
|----------------|--------------------------------|------|------------------|
| YEL 14983      | 115                            | 40   | 50               |
| YEL 14984      | 115                            | 60   | 50               |
| YEL 14985      | 115                            | 80   | 50               |
| YEL 14986      | 115                            | 100  | 50               |
| YEL 14987      | 115                            | 120  | 50               |
| YEL 14988      | 115                            | 150  | 50               |
| YEL 14989      | 115                            | 180  | 50               |
| YEL 14990      | 115                            | 220  | 50               |
| YEL 14991      | 115                            | 240  | 50               |
| YEL 15294      | 115                            | 320  | 50               |
| YEL 15295      | 115                            | 400  | 50               |

## Yellow

### Abrasive paper rolls



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



#### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |

#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width / lenght | Grit | Package (pcs) |
|----------------|----------------------------------|------|---------------|
| YEL 19044      | 115 x 2.500                      | 40   | 1             |
| YEL 19045      | 115 x 2.500                      | 60   | 1             |
| YEL 19046      | 115 x 2.500                      | 80   | 1             |
| YEL 19047      | 115 x 2.500                      | 100  | 1             |
| YEL 19048      | 115 x 2.500                      | 120  | 1             |
| YEL 19049      | 115 x 2.500                      | 150  | 1             |
| YEL 19050      | 115 x 2.500                      | 180  | 1             |
| YEL 19051      | 115 x 2.500                      | 220  | 1             |
| YEL 19052      | 115 x 2.500                      | 240  | 1             |
| YEL 19138      | 115 x 2.500                      | 320  | 1             |
| YEL 19139      | 115 x 2.500                      | 400  | 1             |

## Yellow

### Abrasive paper rolls



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



#### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |

#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width / lenght | Grit | Package (pcs) |
|----------------|----------------------------------|------|---------------|
| YEL 15001      | 115 x 5.000                      | 40   | 1             |
| YEL 15002      | 115 x 5.000                      | 60   | 1             |
| YEL 15003      | 115 x 5.000                      | 80   | 1             |
| YEL 15004      | 115 x 5.000                      | 100  | 1             |
| YEL 15005      | 115 x 5.000                      | 120  | 1             |
| YEL 15006      | 115 x 5.000                      | 150  | 1             |
| YEL 15007      | 115 x 5.000                      | 180  | 1             |
| YEL 15008      | 115 x 5.000                      | 220  | 1             |
| YEL 15009      | 115 x 5.000                      | 240  | 1             |
| YEL 16142      | 115 x 5.000                      | 320  | 1             |
| YEL 16143      | 115 x 5.000                      | 400  | 1             |

For Yellow - different sizes of rolls and sheets available upon request. Maximum jumboroll height: 1380mm.

Minimum order quantity: on asking.

## White

### Abrasive paper rolls



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



#### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |

#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40    | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| WHI 00013      | 115                     | 60   | 50               |
| WHI 00014      | 115                     | 80   | 50               |
| WHI 00015      | 115                     | 100  | 50               |
| WHI 00016      | 115                     | 120  | 50               |
| WHI 00017      | 115                     | 150  | 50               |
| WHI 00018      | 115                     | 180  | 50               |
| WHI 00019      | 115                     | 220  | 50               |
| WHI 00020      | 115                     | 240  | 50               |
| WHI 00021      | 115                     | 320  | 50               |

## White

### Abrasive paper rolls



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



#### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |

#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40    | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width / lenght | Grit | Package (pcs) |
|----------------|----------------------------------|------|---------------|
| WHI 00065      | 115 x 2.500                      | 60   | 1             |
| WHI 00066      | 115 x 2.500                      | 80   | 1             |
| WHI 00067      | 115 x 2.500                      | 100  | 1             |
| WHI 00068      | 115 x 2.500                      | 120  | 1             |
| WHI 00069      | 115 x 2.500                      | 150  | 1             |
| WHI 00070      | 115 x 2.500                      | 180  | 1             |
| WHI 00071      | 115 x 2.500                      | 220  | 1             |
| WHI 00072      | 115 x 2.500                      | 240  | 1             |
| WHI 00073      | 115 x 2.500                      | 320  | 1             |





## White

### Abrasive paper rolls

|                      |                  |
|----------------------|------------------|
| <b>Backing</b>       | D - weight paper |
| <b>Grain</b>         | aluminium oxide  |
| <b>Bonding agent</b> | resin            |
| <b>Coating</b>       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |


### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40    | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / length</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| WHI 00033      | 115 x 5.000                             | 60   | 1             |
| WHI 00034      | 115 x 5.000                             | 80   | 1             |
| WHI 00035      | 115 x 5.000                             | 100  | 1             |
| WHI 00036      | 115 x 5.000                             | 120  | 1             |
| WHI 00037      | 115 x 5.000                             | 150  | 1             |
| WHI 00038      | 115 x 5.000                             | 180  | 1             |
| WHI 00039      | 115 x 5.000                             | 220  | 1             |
| WHI 00040      | 115 x 5.000                             | 240  | 1             |
| WHI 00041      | 115 x 5.000                             | 320  | 1             |

For White - different sizes of rolls and sheets available upon request. Maximum jumboroll height: 1050mm.

Minimum order quantity: on asking.



## Red

### Abrasive paper sheets

|                      |                  |
|----------------------|------------------|
| <b>Backing</b>       | D - weight paper |
| <b>Grain</b>         | aluminium oxide  |
| <b>Bonding agent</b> | resin            |
| <b>Coating</b>       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |


### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / length</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| RED 16527      | 230 x 280                               | 36   | 50            |
| RED 14056      | 230 x 280                               | 40   | 50            |
| RED 14057      | 230 x 280                               | 60   | 50            |
| RED 14058      | 230 x 280                               | 80   | 50            |
| RED 14059      | 230 x 280                               | 100  | 50            |
| RED 14060      | 230 x 280                               | 120  | 50            |
| RED 14061      | 230 x 280                               | 150  | 50            |
| RED 14062      | 230 x 280                               | 180  | 50            |
| RED 14063      | 230 x 280                               | 220  | 50            |
| RED 14064      | 230 x 280                               | 240  | 50            |

## KND 125 without holes

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| KND 30983      | 125                        | without holes | 24   | 50            |
| KND 30984      | 125                        | without holes | 36   | 50            |
| KND 30985      | 125                        | without holes | 40   | 50            |
| KND 30986      | 125                        | without holes | 60   | 50            |
| KND 30987      | 125                        | without holes | 80   | 50            |
| KND 30988      | 125                        | without holes | 100  | 50            |
| KND 30989      | 125                        | without holes | 120  | 50            |
| KND 30990      | 125                        | without holes | 150  | 50            |
| KND 30991      | 125                        | without holes | 180  | 50            |
| KND 30992      | 125                        | without holes | 220  | 50            |
| KND 30993      | 125                        | without holes | 240  | 50            |
| KND 30995      | 125                        | without holes | 320  | 50            |
| KND 30997      | 125                        | without holes | 400  | 50            |
| KND 30999      | 125                        | without holes | 600  | 50            |

## KND 125 without holes

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits


|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

**Blister 5 pcs.**


| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| KND 33265      | 125                        | without holes | 24   | 10            |
| KND 33266      | 125                        | without holes | 36   | 10            |
| KND 33267      | 125                        | without holes | 40   | 10            |
| KND 33268      | 125                        | without holes | 60   | 10            |
| KND 33269      | 125                        | without holes | 80   | 10            |
| KND 33270      | 125                        | without holes | 100  | 10            |
| KND 33271      | 125                        | without holes | 120  | 10            |
| KND 33272      | 125                        | without holes | 150  | 10            |
| KND 33273      | 125                        | without holes | 180  | 10            |
| KND 33274      | 125                        | without holes | 220  | 10            |
| KND 33275      | 125                        | without holes | 240  | 10            |
| KND 33289      | 125                        | without holes | 320  | 10            |
| KND 33290      | 125                        | without holes | 400  | 10            |
| KND 33291      | 125                        | without holes | 600  | 10            |

## KND 125 with 8 holes

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 31072      | 125                        | 8     | 24   | 50            |
| KND 31073      | 125                        | 8     | 36   | 50            |
| KND 31074      | 125                        | 8     | 40   | 50            |
| KND 31075      | 125                        | 8     | 60   | 50            |
| KND 31076      | 125                        | 8     | 80   | 50            |
| KND 31077      | 125                        | 8     | 100  | 50            |
| KND 31078      | 125                        | 8     | 120  | 50            |
| KND 31079      | 125                        | 8     | 150  | 50            |
| KND 31080      | 125                        | 8     | 180  | 50            |
| KND 31081      | 125                        | 8     | 220  | 50            |
| KND 31082      | 125                        | 8     | 240  | 50            |
| KND 31084      | 125                        | 8     | 320  | 50            |
| KND 31086      | 125                        | 8     | 400  | 50            |
| KND 31088      | 125                        | 8     | 600  | 50            |

## KND 125 with 8 holes

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

**Blister 5 pcs.**

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 33277      | 125                        | 8     | 24   | 10            |
| KND 33278      | 125                        | 8     | 36   | 10            |
| KND 33279      | 125                        | 8     | 40   | 10            |
| KND 33280      | 125                        | 8     | 60   | 10            |
| KND 33281      | 125                        | 8     | 80   | 10            |
| KND 33282      | 125                        | 8     | 100  | 10            |
| KND 33283      | 125                        | 8     | 120  | 10            |
| KND 33284      | 125                        | 8     | 150  | 10            |
| KND 33285      | 125                        | 8     | 180  | 10            |
| KND 33286      | 125                        | 8     | 220  | 10            |
| KND 33287      | 125                        | 8     | 240  | 10            |
| KND 33292      | 125                        | 8     | 320  | 10            |
| KND 33293      | 125                        | 8     | 400  | 10            |
| KND 33294      | 125                        | 8     | 600  | 10            |






## KND 150 without holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| KND 31095      | 150                        | without holes | 24   | 50            |
| KND 31096      | 150                        | without holes | 36   | 50            |
| KND 31097      | 150                        | without holes | 40   | 50            |
| KND 31098      | 150                        | without holes | 60   | 50            |
| KND 31099      | 150                        | without holes | 80   | 50            |
| KND 31100      | 150                        | without holes | 100  | 50            |
| KND 31101      | 150                        | without holes | 120  | 50            |
| KND 31102      | 150                        | without holes | 150  | 50            |
| KND 31103      | 150                        | without holes | 180  | 50            |
| KND 31104      | 150                        | without holes | 220  | 50            |
| KND 31105      | 150                        | without holes | 240  | 50            |
| KND 31107      | 150                        | without holes | 320  | 50            |
| KND 31109      | 150                        | without holes | 400  | 50            |
| KND 31111      | 150                        | without holes | 600  | 50            |



## KND 150 without holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

**Blister 5 pcs.**

| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| KND 33351      | 150                        | without holes | 24   | 10            |
| KND 33352      | 150                        | without holes | 36   | 10            |
| KND 33353      | 150                        | without holes | 40   | 10            |
| KND 33354      | 150                        | without holes | 60   | 10            |
| KND 33355      | 150                        | without holes | 80   | 10            |
| KND 33356      | 150                        | without holes | 100  | 10            |
| KND 33357      | 150                        | without holes | 120  | 10            |
| KND 33358      | 150                        | without holes | 150  | 10            |
| KND 33359      | 150                        | without holes | 180  | 10            |
| KND 33361      | 150                        | without holes | 220  | 10            |
| KND 33362      | 150                        | without holes | 240  | 10            |
| KND 33363      | 150                        | without holes | 320  | 10            |
| KND 33364      | 150                        | without holes | 400  | 10            |
| KND 33950      | 150                        | without holes | 600  | 10            |






## KND 150 with 6 holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 31133      | 150                        | 6     | 24   | 50            |
| KND 31134      | 150                        | 6     | 36   | 50            |
| KND 31135      | 150                        | 6     | 40   | 50            |
| KND 31136      | 150                        | 6     | 60   | 50            |
| KND 31137      | 150                        | 6     | 80   | 50            |
| KND 31138      | 150                        | 6     | 100  | 50            |
| KND 31139      | 150                        | 6     | 120  | 50            |
| KND 31140      | 150                        | 6     | 150  | 50            |
| KND 31141      | 150                        | 6     | 180  | 50            |
| KND 31142      | 150                        | 6     | 220  | 50            |
| KND 31143      | 150                        | 6     | 240  | 50            |
| KND 31145      | 150                        | 6     | 320  | 50            |
| KND 31147      | 150                        | 6     | 400  | 50            |
| KND 31149      | 150                        | 6     | 600  | 50            |



## KND 150 with 6 holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |




### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

**Blister 5 pcs.**


| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 33365      | 150                        | 6     | 24   | 10            |
| KND 33366      | 150                        | 6     | 36   | 10            |
| KND 33367      | 150                        | 6     | 40   | 10            |
| KND 33368      | 150                        | 6     | 60   | 10            |
| KND 33369      | 150                        | 6     | 80   | 10            |
| KND 33370      | 150                        | 6     | 100  | 10            |
| KND 33371      | 150                        | 6     | 120  | 10            |
| KND 33372      | 150                        | 6     | 150  | 10            |
| KND 33373      | 150                        | 6     | 180  | 10            |
| KND 33374      | 150                        | 6     | 220  | 10            |
| KND 33375      | 150                        | 6     | 240  | 10            |
| KND 33376      | 150                        | 6     | 320  | 10            |
| KND 33377      | 150                        | 6     | 400  | 10            |
| KND 33951      | 150                        | 6     | 600  | 10            |



## KND 150 with 6+1 holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Holes | Grit | Package (pcs) |
|----------------|-----------------------------------|-------|------|---------------|
| KND 31152      | 150                               | 6 + 1 | 24   | 50            |
| KND 31153      | 150                               | 6 + 1 | 36   | 50            |
| KND 31154      | 150                               | 6 + 1 | 40   | 50            |
| KND 31155      | 150                               | 6 + 1 | 60   | 50            |
| KND 31156      | 150                               | 6 + 1 | 80   | 50            |
| KND 31157      | 150                               | 6 + 1 | 100  | 50            |
| KND 31158      | 150                               | 6 + 1 | 120  | 50            |
| KND 31159      | 150                               | 6 + 1 | 150  | 50            |
| KND 31160      | 150                               | 6 + 1 | 180  | 50            |
| KND 31161      | 150                               | 6 + 1 | 220  | 50            |
| KND 31162      | 150                               | 6 + 1 | 240  | 50            |
| KND 31164      | 150                               | 6 + 1 | 320  | 50            |
| KND 31166      | 150                               | 6 + 1 | 400  | 50            |
| KND 31168      | 150                               | 6 + 1 | 600  | 50            |



## KND 150 with 8+1 holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |


| Catalog number | Dimension (mm)<br><i>diameter</i> | Holes | Grit | Package (pcs) |
|----------------|-----------------------------------|-------|------|---------------|
| KND 31171      | 150                               | 8 + 1 | 24   | 50            |
| KND 31172      | 150                               | 8 + 1 | 36   | 50            |
| KND 31173      | 150                               | 8 + 1 | 40   | 50            |
| KND 31174      | 150                               | 8 + 1 | 60   | 50            |
| KND 31175      | 150                               | 8 + 1 | 80   | 50            |
| KND 31176      | 150                               | 8 + 1 | 100  | 50            |
| KND 31177      | 150                               | 8 + 1 | 120  | 50            |
| KND 31178      | 150                               | 8 + 1 | 150  | 50            |
| KND 31179      | 150                               | 8 + 1 | 180  | 50            |
| KND 31180      | 150                               | 8 + 1 | 220  | 50            |
| KND 31181      | 150                               | 8 + 1 | 240  | 50            |
| KND 31183      | 150                               | 8 + 1 | 320  | 50            |
| KND 31185      | 150                               | 8 + 1 | 400  | 50            |
| KND 31187      | 150                               | 8 + 1 | 600  | 50            |



## KND 180 without holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |


| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| KND 33379      | 180                        | without holes | 24   | 50            |
| KND 33433      | 180                        | without holes | 36   | 50            |
| KND 33380      | 180                        | without holes | 40   | 50            |
| KND 33434      | 180                        | without holes | 60   | 50            |
| KND 33435      | 180                        | without holes | 80   | 50            |
| KND 33436      | 180                        | without holes | 100  | 50            |
| KND 33361      | 180                        | without holes | 120  | 50            |
| KND 33543      | 180                        | without holes | 150  | 50            |
| KND 33544      | 180                        | without holes | 180  | 50            |
| KND 33474      | 180                        | without holes | 220  | 50            |
| KND 33466      | 180                        | without holes | 240  | 50            |
| KND 33789      | 180                        | without holes | 320  | 50            |
| KND 33790      | 180                        | without holes | 400  | 50            |
| KND 33791      | 180                        | without holes | 600  | 50            |



## KND 180 with 8 holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 33545      | 180                        | 8     | 24   | 50            |
| KND 33546      | 180                        | 8     | 36   | 50            |
| KND 33547      | 180                        | 8     | 40   | 50            |
| KND 33548      | 180                        | 8     | 60   | 50            |
| KND 33549      | 180                        | 8     | 80   | 50            |
| KND 33550      | 180                        | 8     | 100  | 50            |
| KND 33551      | 180                        | 8     | 120  | 50            |
| KND 33552      | 180                        | 8     | 150  | 50            |
| KND 33553      | 180                        | 8     | 180  | 50            |
| KND 33554      | 180                        | 8     | 220  | 50            |
| KND 33555      | 180                        | 8     | 240  | 50            |
| KND 33792      | 180                        | 8     | 320  | 50            |
| KND 33793      | 180                        | 8     | 400  | 50            |
| KND 33794      | 180                        | 8     | 600  | 50            |





## KND 225 without holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| KND 33128      | 225                        | without holes | 24   | 50            |
| KND 33129      | 225                        | without holes | 36   | 50            |
| KND 33130      | 225                        | without holes | 40   | 50            |
| KND 33044      | 225                        | without holes | 60   | 50            |
| KND 33131      | 225                        | without holes | 80   | 50            |
| KND 33045      | 225                        | without holes | 100  | 50            |
| KND 33132      | 225                        | without holes | 120  | 50            |
| KND 33133      | 225                        | without holes | 150  | 50            |
| KND 33134      | 225                        | without holes | 180  | 50            |
| KND 33135      | 225                        | without holes | 220  | 50            |
| KND 33136      | 225                        | without holes | 240  | 50            |
| KND 33230      | 225                        | without holes | 320  | 50            |
| KND 33231      | 225                        | without holes | 400  | 50            |
| KND 33232      | 225                        | without holes | 600  | 50            |



## KND 225 without holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |




### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

**Blister 5 pcs.**

| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| KND 33585      | 225                        | without holes | 24   | 1             |
| KND 33586      | 225                        | without holes | 36   | 1             |
| KND 33556      | 225                        | without holes | 40   | 1             |
| KND 33557      | 225                        | without holes | 60   | 1             |
| KND 33558      | 225                        | without holes | 80   | 1             |
| KND 33559      | 225                        | without holes | 100  | 1             |
| KND 33560      | 225                        | without holes | 120  | 1             |
| KND 33561      | 225                        | without holes | 150  | 1             |
| KND 33562      | 225                        | without holes | 180  | 1             |
| KND 33563      | 225                        | without holes | 220  | 1             |
| KND 33564      | 225                        | without holes | 240  | 1             |
| KND 33587      | 225                        | without holes | 320  | 1             |
| KND 33588      | 225                        | without holes | 400  | 1             |
| KND 33589      | 225                        | without holes | 600  | 1             |





## KND 225 with 18+1 holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |




### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Holes  | Grit | Package (pcs) |
|----------------|-----------------------------------|--------|------|---------------|
| KND 33796      | 225                               | 18 + 1 | 24   | 50            |
| KND 33797      | 225                               | 18 + 1 | 36   | 50            |
| KND 33798      | 225                               | 18 + 1 | 40   | 50            |
| KND 33799      | 225                               | 18 + 1 | 60   | 50            |
| KND 33800      | 225                               | 18 + 1 | 80   | 50            |
| KND 33801      | 225                               | 18 + 1 | 100  | 50            |
| KND 33802      | 225                               | 18 + 1 | 120  | 50            |
| KND 33803      | 225                               | 18 + 1 | 150  | 50            |
| KND 33804      | 225                               | 18 + 1 | 180  | 50            |
| KND 33805      | 225                               | 18 + 1 | 220  | 50            |
| KND 33806      | 225                               | 18 + 1 | 240  | 50            |
| KND 33807      | 225                               | 18 + 1 | 320  | 50            |
| KND 33808      | 225                               | 18 + 1 | 400  | 50            |
| KND 33809      | 225                               | 18 + 1 | 600  | 50            |



## KND 225 with 18+1 holes

Abrasive velcro discs

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications


|                          |   |
|--------------------------|---|
| plasterboard             | • |
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

**Blister 5 pcs.**

| Catalog number | Dimension (mm)<br><i>diameter</i> | Holes  | Grit | Package (pcs) |
|----------------|-----------------------------------|--------|------|---------------|
| KND 33819      | 225                               | 18 + 1 | 24   | 1             |
| KND 33820      | 225                               | 18 + 1 | 36   | 1             |
| KND 33821      | 225                               | 18 + 1 | 40   | 1             |
| KND 33822      | 225                               | 18 + 1 | 60   | 1             |
| KND 33823      | 225                               | 18 + 1 | 80   | 1             |
| KND 33824      | 225                               | 18 + 1 | 100  | 1             |
| KND 33825      | 225                               | 18 + 1 | 120  | 1             |
| KND 33826      | 225                               | 18 + 1 | 150  | 1             |
| KND 33827      | 225                               | 18 + 1 | 180  | 1             |
| KND 33828      | 225                               | 18 + 1 | 220  | 1             |
| KND 33829      | 225                               | 18 + 1 | 240  | 1             |
| KND 33830      | 225                               | 18 + 1 | 320  | 1             |
| KND 33831      | 225                               | 18 + 1 | 400  | 1             |
| KND 33832      | 225                               | 18 + 1 | 600  | 1             |



## KND 93x93x93

Abrasive velcro Delta

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 33295      | 93 x 93 x 93               | 6     | 24   | 50            |
| KND 33296      | 93 x 93 x 93               | 6     | 36   | 50            |
| KND 33297      | 93 x 93 x 93               | 6     | 40   | 50            |
| KND 33298      | 93 x 93 x 93               | 6     | 60   | 50            |
| KND 33299      | 93 x 93 x 93               | 6     | 80   | 50            |
| KND 33300      | 93 x 93 x 93               | 6     | 100  | 50            |
| KND 33301      | 93 x 93 x 93               | 6     | 120  | 50            |
| KND 33302      | 93 x 93 x 93               | 6     | 150  | 50            |
| KND 33303      | 93 x 93 x 93               | 6     | 180  | 50            |
| KND 33304      | 93 x 93 x 93               | 6     | 220  | 50            |
| KND 33305      | 93 x 93 x 93               | 6     | 240  | 50            |
| KND 33306      | 93 x 93 x 93               | 6     | 320  | 50            |
| KND 33307      | 93 x 93 x 93               | 6     | 400  | 50            |
| KND 33308      | 93 x 93 x 93               | 6     | 600  | 50            |



## KND 93x93x93

Abrasive velcro Delta

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |




### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

**Blister 5 pcs.**

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 33309      | 93 x 93 x 93               | 6     | 24   | 10            |
| KND 33310      | 93 x 93 x 93               | 6     | 36   | 10            |
| KND 33311      | 93 x 93 x 93               | 6     | 40   | 10            |
| KND 33312      | 93 x 93 x 93               | 6     | 60   | 10            |
| KND 33313      | 93 x 93 x 93               | 6     | 80   | 10            |
| KND 33314      | 93 x 93 x 93               | 6     | 100  | 10            |
| KND 33315      | 93 x 93 x 93               | 6     | 120  | 10            |
| KND 33316      | 93 x 93 x 93               | 6     | 150  | 10            |
| KND 33317      | 93 x 93 x 93               | 6     | 180  | 10            |
| KND 33318      | 93 x 93 x 93               | 6     | 220  | 10            |
| KND 33319      | 93 x 93 x 93               | 6     | 240  | 10            |
| KND 33320      | 93 x 93 x 93               | 6     | 320  | 10            |
| KND 33321      | 93 x 93 x 93               | 6     | 400  | 10            |
| KND 33322      | 93 x 93 x 93               | 6     | 600  | 10            |



## KND 150x150x100

Abrasive velcro Delta

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 33422      | 150 x 150 x 100            | 11    | 24   | 50            |
| KND 33423      | 150 x 150 x 100            | 11    | 36   | 50            |
| KND 33424      | 150 x 150 x 100            | 11    | 40   | 50            |
| KND 33425      | 150 x 150 x 100            | 11    | 60   | 50            |
| KND 33426      | 150 x 150 x 100            | 11    | 80   | 50            |
| KND 33427      | 150 x 150 x 100            | 11    | 100  | 50            |
| KND 33428      | 150 x 150 x 100            | 11    | 120  | 50            |
| KND 33429      | 150 x 150 x 100            | 11    | 150  | 50            |
| KND 33430      | 150 x 150 x 100            | 11    | 180  | 50            |
| KND 33431      | 150 x 150 x 100            | 11    | 220  | 50            |
| KND 33432      | 150 x 150 x 100            | 11    | 240  | 50            |
| KND 33579      | 150 x 150 x 100            | 11    | 320  | 50            |
| KND 33580      | 150 x 150 x 100            | 11    | 400  | 50            |
| KND 33581      | 150 x 150 x 100            | 11    | 600  | 50            |



## KND 150x150x100

Abrasive velcro Delta

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |




### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

**Blister 5 pcs.**

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 33450      | 150 x 150 x 100            | 11    | 24   | 10            |
| KND 33451      | 150 x 150 x 100            | 11    | 36   | 10            |
| KND 33452      | 150 x 150 x 100            | 11    | 40   | 10            |
| KND 33453      | 150 x 150 x 100            | 11    | 60   | 10            |
| KND 33454      | 150 x 150 x 100            | 11    | 80   | 10            |
| KND 33455      | 150 x 150 x 100            | 11    | 100  | 10            |
| KND 33456      | 150 x 150 x 100            | 11    | 120  | 10            |
| KND 33457      | 150 x 150 x 100            | 11    | 150  | 10            |
| KND 33458      | 150 x 150 x 100            | 11    | 180  | 10            |
| KND 33459      | 150 x 150 x 100            | 11    | 220  | 10            |
| KND 33460      | 150 x 150 x 100            | 11    | 240  | 10            |
| KND 33582      | 150 x 150 x 100            | 11    | 320  | 10            |
| KND 33583      | 150 x 150 x 100            | 11    | 400  | 10            |
| KND 33584      | 150 x 150 x 100            | 11    | 600  | 10            |





## KND 93x180

Abrasive velcro sheets

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications


|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 33673      | 93 x 180                   | 8     | 24   | 50            |
| KND 33674      | 93 x 180                   | 8     | 36   | 50            |
| KND 33675      | 93 x 180                   | 8     | 40   | 50            |
| KND 33676      | 93 x 180                   | 8     | 60   | 50            |
| KND 33677      | 93 x 180                   | 8     | 80   | 50            |
| KND 33678      | 93 x 180                   | 8     | 100  | 50            |
| KND 33679      | 93 x 180                   | 8     | 120  | 50            |
| KND 33680      | 93 x 180                   | 8     | 150  | 50            |
| KND 33681      | 93 x 180                   | 8     | 180  | 50            |
| KND 33682      | 93 x 180                   | 8     | 220  | 50            |
| KND 33683      | 93 x 180                   | 8     | 240  | 50            |
| KND 33684      | 93 x 180                   | 8     | 320  | 50            |
| KND 33685      | 93 x 180                   | 8     | 400  | 50            |
| KND 33686      | 93 x 180                   | 8     | 600  | 50            |



## KND 115x230

Abrasive velcro sheets

|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600 • |      |

| Catalog number | Dimension (mm)<br>diameter | Holes | Grit | Package (pcs) |
|----------------|----------------------------|-------|------|---------------|
| KND 33701      | 115 x 230                  | 14    | 24   | 50            |
| KND 33702      | 115 x 230                  | 14    | 36   | 50            |
| KND 33703      | 115 x 230                  | 14    | 40   | 50            |
| KND 33704      | 115 x 230                  | 14    | 60   | 50            |
| KND 33705      | 115 x 230                  | 14    | 80   | 50            |
| KND 33706      | 115 x 230                  | 14    | 100  | 50            |
| KND 33707      | 115 x 230                  | 14    | 120  | 50            |
| KND 33708      | 115 x 230                  | 14    | 150  | 50            |
| KND 33709      | 115 x 230                  | 14    | 180  | 50            |
| KND 33710      | 115 x 230                  | 14    | 220  | 50            |
| KND 33711      | 115 x 230                  | 14    | 240  | 50            |
| KND 33712      | 115 x 230                  | 14    | 320  | 50            |
| KND 33713      | 115 x 230                  | 14    | 400  | 50            |
| KND 33714      | 115 x 230                  | 14    | 600  | 50            |

## KND

Abrasive paper velcro rolls



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |

**Roll with velcro**



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| KND 33467      | 115                     | 40   | 25               |
| KND 33468      | 115                     | 60   | 25               |
| KND 33469      | 115                     | 80   | 25               |
| KND 33470      | 115                     | 100  | 25               |
| KND 33471      | 115                     | 120  | 25               |
| KND 33494      | 115                     | 150  | 25               |
| KND 33498      | 115                     | 180  | 25               |
| KND 33499      | 115                     | 220  | 25               |
| KND 33495      | 115                     | 240  | 25               |

## KND

Abrasive paper velcro rolls



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |

**Roll with velcro**



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |


| Catalog number | Dimension (mm)<br>width / lenght | Grit | Package (meters) |
|----------------|----------------------------------|------|------------------|
| KND 33743      | 115 x 2.500                      | 40   | 1                |
| KND 33744      | 115 x 2.500                      | 60   | 1                |
| KND 33745      | 115 x 2.500                      | 80   | 1                |
| KND 33746      | 115 x 2.500                      | 100  | 1                |
| KND 33747      | 115 x 2.500                      | 120  | 1                |
| KND 33748      | 115 x 2.500                      | 150  | 1                |
| KND 33749      | 115 x 2.500                      | 180  | 1                |
| KND 33750      | 115 x 2.500                      | 220  | 1                |
| KND 33751      | 115 x 2.500                      | 240  | 1                |

For KND - different sizes of discs available upon request. Maximum diameter of discs: 700mm.


Minimum order quantity: on asking.

## SEC

Abrasive velcro discs



|               |                 |
|---------------|-----------------|
| Backing       | E paper         |
| Grain         | silicon carbide |
| Bonding agent | resin           |
| Coating       | semi - open     |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |



### Available grits

|      |     |      |
|------|-----|------|
| 16 • | 150 | 800  |
| 24   | 180 | 1000 |
| 30   | 220 | 1200 |
| 36   | 240 | 1500 |
| 40   | 280 | 2000 |
| 50   | 320 | 2500 |
| 60   | 360 | 3000 |
| 80   | 400 | 4000 |
| 100  | 500 | 5000 |
| 120  | 600 |      |

NEW


| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| SEC 16646      | 125                        | without holes | 16   | 50            |
| SEC 33311      | 150                        | without holes | 16   | 50            |
| SEC 33301      | 180                        | without holes | 16   | 50            |
| SEC 33304      | 225                        | without holes | 16   | 50            |

For SEC - different sizes of discs available upon request. Maximum diameter of discs: 700mm.


Minimum order quantity: on asking.

## FCZ 125 without holes

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | E paper          |
| Grain         | alumina zirconia |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                 |   |
|-----------------|---|
| stainless steel | • |
| steel           | • |
| metal           | • |
| wood            | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |


NEW

| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| FCZ 00001      | 125                        | without holes | 24   | 50            |
| FCZ 00002      | 125                        | without holes | 36   | 50            |
| FCZ 00003      | 125                        | without holes | 40   | 50            |
| FCZ 00004      | 125                        | without holes | 60   | 50            |
| FCZ 00005      | 125                        | without holes | 80   | 50            |
| FCZ 00006      | 125                        | without holes | 100  | 50            |
| FCZ 00007      | 125                        | without holes | 120  | 50            |
| FCZ 00008      | 125                        | without holes | 150  | 50            |
| FCZ 00027      | 125                        | without holes | 180  | 50            |
| FCZ 00026      | 125                        | without holes | 220  | 50            |
| FCZ 00040      | 125                        | without holes | 240  | 50            |



## Multi

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | D - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| paint / varnish / filler | • |




### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240   | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Holes | Grit | Package<br>(pcs) |
|----------------|-----------------------------------|-------|------|------------------|
| MUL 00001      | 225                               | Multi | 40   | 10               |
| MUL 00002      | 225                               | Multi | 60   | 10               |
| MUL 00003      | 225                               | Multi | 80   | 10               |
| MUL 00004      | 225                               | Multi | 100  | 10               |
| MUL 00005      | 225                               | Multi | 120  | 10               |
| MUL 00006      | 225                               | Multi | 150  | 10               |
| MUL 00007      | 225                               | Multi | 180  | 10               |
| MUL 00008      | 225                               | Multi | 220  | 10               |

## Gerpad 225

Abrasive velcro discs



|               |                  |
|---------------|------------------|
| Backing       | C - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | open             |



### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| paint / varnish / filler | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240   | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |




| Catalog number | Dimension (mm)<br><i>diameter</i> | Holes | Grit | Package<br>(pcs) |
|----------------|-----------------------------------|-------|------|------------------|
| GPD 00001      | 225                               | Multi | 40   | 10               |
| GPD 00002      | 225                               | Multi | 60   | 10               |
| GPD 00003      | 225                               | Multi | 80   | 10               |
| GPD 00004      | 225                               | Multi | 100  | 10               |
| GPD 00005      | 225                               | Multi | 120  | 10               |
| GPD 00006      | 225                               | Multi | 150  | 10               |
| GPD 00007      | 225                               | Multi | 180  | 10               |
| GPD 00008      | 225                               | Multi | 220  | 10               |

## ECA Antistatic

Abrasive paper rolls



|               |                  |
|---------------|------------------|
| Backing       | F - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|         |   |
|---------|---|
| wood    | • |
| plastic | • |
| metal   | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |


| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| ECA 13328      | 150                     | 40   | 50               |
| ECA 13329      | 150                     | 60   | 50               |
| ECA 13330      | 150                     | 80   | 50               |
| ECA 13331      | 150                     | 100  | 50               |
| ECA 13332      | 150                     | 120  | 50               |
| ECA 13333      | 150                     | 150  | 50               |
| ECA 13335      | 150                     | 180  | 50               |
| ECA 13336      | 150                     | 220  | 50               |
| ECA 13337      | 150                     | 240  | 50               |

## ECA Antistatic

Abrasive paper rolls



|               |                  |
|---------------|------------------|
| Backing       | F - weight paper |
| Grain         | aluminium oxide  |
| Bonding agent | resin            |
| Coating       | semi - open      |



### Applications

|         |   |
|---------|---|
| wood    | • |
| plastic | • |
| metal   | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| ECA 13338      | 200                     | 40   | 25               |
| ECA 13339      | 200                     | 60   | 25               |
| ECA 13340      | 200                     | 80   | 25               |
| ECA 13341      | 200                     | 100  | 25               |
| ECA 13342      | 200                     | 120  | 25               |
| ECA 13343      | 200                     | 150  | 25               |
| ECA 13344      | 200                     | 180  | 25               |
| ECA 13345      | 200                     | 220  | 25               |
| ECA 13346      | 200                     | 240  | 25               |

For ECA Antistatic - different sizes of rolls and endless belts available upon request. Maximum jumboroll height: 1380mm.

Minimum order quantity: on asking.



## WPF Black

Waterproof abrasive latex paper sheets

|               |                    |
|---------------|--------------------|
| Backing       | A-C - weight paper |
| Grain         | silicon carbide    |
| Bonding agent | resin              |
| Coating       | close              |



### Applications

|                          |   |
|--------------------------|---|
| paint / varnish / filler | • |
| glass / stone            | • |
| plastic                  | • |
| metal                    | • |
| steel                    | • |
| stainless steel          | • |

### Available grits

|       |       |        |
|-------|-------|--------|
| 16    | 150 • | 800 •  |
| 24    | 180 • | 1000 • |
| 30    | 220 • | 1200 • |
| 36    | 240 • | 1500 • |
| 40    | 280 • | 2000 • |
| 50    | 320 • | 2500 • |
| 60 •  | 360 • | 3000   |
| 80 •  | 400 • | 4000   |
| 100 • | 500 • | 5000   |
| 120 • | 600 • |        |

| Catalog number | Dimension (mm)<br><i>width / length</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| WPB 14729      | 230 x 280                               | 60   | 50            |
| WPB 14730      | 230 x 280                               | 80   | 50            |
| WPB 14731      | 230 x 280                               | 100  | 50            |
| WPB 14732      | 230 x 280                               | 120  | 50            |
| WPB 14733      | 230 x 280                               | 150  | 50            |
| WPB 14734      | 230 x 280                               | 180  | 50            |
| WPB 14735      | 230 x 280                               | 220  | 50            |
| WPB 14736      | 230 x 280                               | 240  | 50            |
| WPB 14737      | 230 x 280                               | 280  | 50            |
| WPB 14738      | 230 x 280                               | 320  | 50            |
| WPB 14739      | 230 x 280                               | 360  | 50            |
| WPB 14740      | 230 x 280                               | 400  | 50            |
| WPB 14741      | 230 x 280                               | 500  | 50            |
| WPB 14742      | 230 x 280                               | 600  | 50            |
| WPB 14743      | 230 x 280                               | 800  | 50            |
| WPB 14744      | 230 x 280                               | 1000 | 50            |
| WPB 14745      | 230 x 280                               | 1200 | 50            |
| WPB 14746      | 230 x 280                               | 1500 | 50            |
| WPB 14747      | 230 x 280                               | 2000 | 50            |
| WPB 20462      | 230 x 280                               | 2500 | 50            |



## WPF Raid

Waterproof abrasive latex paper sheets

|               |                    |
|---------------|--------------------|
| Backing       | A-C - weight paper |
| Grain         | silicon carbide    |
| Bonding agent | resin              |
| Coating       | close              |



### Applications

|                          |   |
|--------------------------|---|
| paint / varnish / filler | • |
| glass / stone            | • |
| plastic                  | • |
| metal                    | • |
| steel                    | • |
| stainless steel          | • |

### Available grits

|     |     |        |
|-----|-----|--------|
| 16  | 150 | 800    |
| 24  | 180 | 1000   |
| 30  | 220 | 1200   |
| 36  | 240 | 1500   |
| 40  | 280 | 2000   |
| 50  | 320 | 2500   |
| 60  | 360 | 3000 • |
| 80  | 400 | 4000 • |
| 100 | 500 | 5000 • |
| 120 | 600 |        |

| Catalog number | Dimension (mm)<br><i>width / length</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| RAI 29747      | 230 x 280                               | 3000 | 50            |
| RAI 29748      | 230 x 280                               | 4000 | 50            |
| RAI 29749      | 230 x 280                               | 5000 | 50            |





## Sente

Abrasive screen mesh sheets

|               |                 |
|---------------|-----------------|
| Backing       | fiberglass net  |
| Grain         | silicon carbide |
| Bonding agent | resin           |
| Coating       | close           |




### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| paint / varnish / filler | • |

### Available grits

|       |       |        |
|-------|-------|--------|
| 16    | 150 • | 800 •  |
| 24    | 180 • | 1000 • |
| 30    | 220 • | 1200 • |
| 36    | 240 • | 1500 • |
| 40 •  | 280 • | 2000 • |
| 50    | 320 • | 2500   |
| 60 •  | 360 • | 3000   |
| 80 •  | 400 • | 4000   |
| 100 • | 500 • | 5000   |
| 120 • | 600 • |        |

| Catalog number | Dimension (mm)<br>width / length | Grit | Package (pcs) |
|----------------|----------------------------------|------|---------------|
| SEN 16877      | 105 x 280                        | 40   | 50            |
| SEN 16878      | 105 x 280                        | 60   | 50            |
| SEN 16879      | 105 x 280                        | 80   | 50            |
| SEN 16880      | 105 x 280                        | 100  | 50            |
| SEN 16881      | 105 x 280                        | 120  | 50            |
| SEN 16882      | 105 x 280                        | 150  | 50            |
| SEN 16883      | 105 x 280                        | 180  | 50            |
| SEN 16884      | 105 x 280                        | 220  | 50            |
| SEN 16885      | 105 x 280                        | 240  | 50            |
| SEN 31060      | 105 x 280                        | 280  | 50            |



## Primnet 225

Abrasive screen mesh in velcro discs

|               |                 |
|---------------|-----------------|
| Backing       | fiberglass net  |
| Grain         | silicon carbide |
| Bonding agent | resin           |
| Coating       | close           |



### Applications

|                          |   |
|--------------------------|---|
| plasterboard             | • |
| paint / varnish / filler | • |



### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220   | 1200 |
| 36    | 240   | 1500 |
| 40    | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>diameter | Holes         | Grit | Package (pcs) |
|----------------|----------------------------|---------------|------|---------------|
| PRI 00001      | 225                        | without holes | 60   | 25            |
| PRI 00002      | 225                        | without holes | 80   | 25            |
| PRI 00003      | 225                        | without holes | 100  | 25            |
| PRI 00004      | 225                        | without holes | 120  | 25            |
| PRI 00005      | 225                        | without holes | 150  | 25            |
| PRI 00006      | 225                        | without holes | 180  | 25            |



## PA Grante

Abrasive cloth sheets

|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | J cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | glue over resin |
| <b>Coating</b>       | semi - open     |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280 • | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360 • | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500 • | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / length</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| PAG 15155      | 230 x 280                               | 24   | 50            |
| PAG 13858      | 230 x 280                               | 36   | 50            |
| PAG 13859      | 230 x 280                               | 40   | 50            |
| PAG 13860      | 230 x 280                               | 60   | 50            |
| PAG 13861      | 230 x 280                               | 80   | 50            |
| PAG 13862      | 230 x 280                               | 100  | 50            |
| PAG 13863      | 230 x 280                               | 120  | 50            |
| PAG 13864      | 230 x 280                               | 150  | 50            |
| PAG 13865      | 230 x 280                               | 180  | 50            |
| PAG 13866      | 230 x 280                               | 220  | 50            |
| PAG 13867      | 230 x 280                               | 240  | 50            |
| PAG 33638      | 230 x 280                               | 280  | 50            |
| PAG 33639      | 230 x 280                               | 320  | 50            |
| PAG 33651      | 230 x 280                               | 360  | 50            |
| PAG 33640      | 230 x 280                               | 400  | 50            |
| PAG 33641      | 230 x 280                               | 500  | 50            |

## PA Grante

Abrasive cloth rolls



|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | J cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | glue over resin |
| <b>Coating</b>       | semi - open     |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width</i> | Grit | Package (meters) |
|----------------|--------------------------------|------|------------------|
| PAG 31835      | 115                            | 36   | 25               |
| PAG 31836      | 115                            | 40   | 50               |
| PAG 31837      | 115                            | 60   | 50               |
| PAG 31838      | 115                            | 80   | 50               |
| PAG 31839      | 115                            | 100  | 50               |
| PAG 31840      | 115                            | 120  | 50               |
| PAG 31841      | 115                            | 150  | 50               |
| PAG 31842      | 115                            | 180  | 50               |
| PAG 31843      | 115                            | 220  | 50               |
| PAG 31844      | 115                            | 240  | 50               |



## PA Grante

Abrasive cloth rolls

|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | J cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | glue over resin |
| <b>Coating</b>       | semi - open     |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width / lenght | Grit | Package (pcs) |
|----------------|----------------------------------|------|---------------|
| PAG 33474      | 115 x 5.000                      | 36   | 1             |
| PAG 33110      | 115 x 5.000                      | 40   | 1             |
| PAG 33111      | 115 x 5.000                      | 60   | 1             |
| PAG 33112      | 115 x 5.000                      | 80   | 1             |
| PAG 33113      | 115 x 5.000                      | 100  | 1             |
| PAG 33114      | 115 x 5.000                      | 120  | 1             |
| PAG 33115      | 115 x 5.000                      | 150  | 1             |
| PAG 33159      | 115 x 5.000                      | 180  | 1             |
| PAG 33475      | 115 x 5.000                      | 220  | 1             |
| PAG 33476      | 115 x 5.000                      | 240  | 1             |



## PA Grante

Abrasive cloth rolls

|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | J cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | glue over resin |
| <b>Coating</b>       | semi - open     |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| PAG 29766      | 150                     | 36   | 25               |
| PAG 29767      | 150                     | 40   | 50               |
| PAG 29768      | 150                     | 60   | 50               |
| PAG 29769      | 150                     | 80   | 50               |
| PAG 29770      | 150                     | 100  | 50               |
| PAG 29771      | 150                     | 120  | 50               |
| PAG 29772      | 150                     | 150  | 50               |
| PAG 29773      | 150                     | 180  | 50               |
| PAG 29774      | 150                     | 220  | 50               |
| PAG 29775      | 150                     | 240  | 50               |
| PAG 33645      | 150                     | 320  | 50               |
| PAG 33646      | 150                     | 400  | 50               |





## PA Grante

Abrasive cloth rolls

|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | J cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | glue over resin |
| <b>Coating</b>       | semi - open     |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| paint / varnish / filler | • |
| plastic                  | • |
| metal                    | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120   | 600   |      |

| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| PAG 28747      | 200                     | 36   | 25               |
| PAG 28748      | 200                     | 40   | 50               |
| PAG 28751      | 200                     | 60   | 50               |
| PAG 28750      | 200                     | 80   | 50               |
| PAG 28465      | 200                     | 100  | 50               |
| PAG 29575      | 200                     | 120  | 50               |
| PAG 29576      | 200                     | 150  | 50               |
| PAG 29577      | 200                     | 180  | 50               |
| PAG 29578      | 200                     | 220  | 50               |
| PAG 29579      | 200                     | 240  | 50               |

For PA Grante - different sizes of rolls and sheets available upon request. Maximum jumboroll height: 1380mm.

Minimum order quantity: on asking.

## J Flex

Abrasive cloth rolls



|               |                 |
|---------------|-----------------|
| Backing       | JF cotton cloth |
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | semi - open     |



### Applications

|         |   |
|---------|---|
| wood    | • |
| plastic | • |
| metal   | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| JFL 15747      | 115                     | 24   | 25               |
| JFL 15748      | 115                     | 36   | 25               |
| JFL 13619      | 115                     | 40   | 50               |
| JFL 13620      | 115                     | 60   | 50               |
| JFL 13621      | 115                     | 80   | 50               |
| JFL 13622      | 115                     | 100  | 50               |
| JFL 13623      | 115                     | 120  | 50               |
| JFL 13624      | 115                     | 150  | 50               |
| JFL 13625      | 115                     | 180  | 50               |
| JFL 13626      | 115                     | 220  | 50               |
| JFL 13627      | 115                     | 240  | 50               |
| JFL 16122      | 115                     | 320  | 50               |
| JFL 16123      | 115                     | 400  | 50               |

## J Flex

Abrasive cloth rolls



|               |                 |
|---------------|-----------------|
| Backing       | JF cotton cloth |
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | semi - open     |



### Applications

|         |   |
|---------|---|
| wood    | • |
| plastic | • |
| metal   | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm) | Grit | Package (pcs) |
|----------------|----------------|------|---------------|
| JFL 32136      | 115 x 2.500    | 24   | 1             |
| JFL 32137      | 115 x 2.500    | 36   | 1             |
| JFL 31914      | 115 x 2.500    | 40   | 1             |
| JFL 31915      | 115 x 2.500    | 60   | 1             |
| JFL 31916      | 115 x 2.500    | 80   | 1             |
| JFL 31917      | 115 x 2.500    | 100  | 1             |
| JFL 31918      | 115 x 2.500    | 120  | 1             |
| JFL 31919      | 115 x 2.500    | 150  | 1             |
| JFL 31920      | 115 x 2.500    | 180  | 1             |
| JFL 31921      | 115 x 2.500    | 220  | 1             |
| JFL 31922      | 115 x 2.500    | 240  | 1             |
| JFL 32138      | 115 x 2.500    | 320  | 1             |
| JFL 32139      | 115 x 2.500    | 400  | 1             |



## J Flex

Abrasive cloth rolls

|               |                 |
|---------------|-----------------|
| Backing       | JF cotton cloth |
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | semi - open     |



### Applications

|         |   |
|---------|---|
| wood    | • |
| plastic | • |
| metal   | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width / length | Grit | Package (pcs) |
|----------------|----------------------------------|------|---------------|
| JFL 32099      | 115 x 5.000                      | 24   | 1             |
| JFL 32087      | 115 x 5.000                      | 36   | 1             |
| JFL 31792      | 115 x 5.000                      | 40   | 1             |
| JFL 31798      | 115 x 5.000                      | 60   | 1             |
| JFL 31793      | 115 x 5.000                      | 80   | 1             |
| JFL 31799      | 115 x 5.000                      | 100  | 1             |
| JFL 31794      | 115 x 5.000                      | 120  | 1             |
| JFL 31800      | 115 x 5.000                      | 150  | 1             |
| JFL 31801      | 115 x 5.000                      | 180  | 1             |
| JFL 31970      | 115 x 5.000                      | 220  | 1             |
| JFL 31826      | 115 x 5.000                      | 240  | 1             |
| JFL 32074      | 115 x 5.000                      | 320  | 1             |
| JFL 32086      | 115 x 5.000                      | 400  | 1             |

## J Flex

Abrasive cloth rolls



|               |                 |
|---------------|-----------------|
| Backing       | JF cotton cloth |
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | semi - open     |



### Applications

|         |   |
|---------|---|
| wood    | • |
| plastic | • |
| metal   | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| JFL 13628      | 150                     | 24   | 25               |
| JFL 13629      | 150                     | 36   | 25               |
| JFL 13630      | 150                     | 40   | 50               |
| JFL 13631      | 150                     | 60   | 50               |
| JFL 13632      | 150                     | 80   | 50               |
| JFL 13633      | 150                     | 100  | 50               |
| JFL 13634      | 150                     | 120  | 50               |
| JFL 13635      | 150                     | 150  | 50               |
| JFL 13636      | 150                     | 180  | 50               |
| JFL 13637      | 150                     | 220  | 50               |
| JFL 13638      | 150                     | 240  | 50               |
| JFL 16124      | 150                     | 320  | 50               |
| JFL 16125      | 150                     | 400  | 50               |



## J Flex

Abrasive cloth rolls

|               |                 |
|---------------|-----------------|
| Backing       | JF cotton cloth |
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | semi - open     |

### Applications

|         |   |
|---------|---|
| wood    | • |
| plastic | • |
| metal   | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |



| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| JFL 13639      | 200                     | 24   | 25               |
| JFL 13640      | 200                     | 36   | 25               |
| JFL 13641      | 200                     | 40   | 50               |
| JFL 13642      | 200                     | 60   | 50               |
| JFL 13643      | 200                     | 80   | 50               |
| JFL 13644      | 200                     | 100  | 50               |
| JFL 13645      | 200                     | 120  | 50               |
| JFL 13646      | 200                     | 150  | 50               |
| JFL 13647      | 200                     | 180  | 50               |
| JFL 13648      | 200                     | 220  | 50               |
| JFL 13649      | 200                     | 240  | 50               |
| JFL 16126      | 200                     | 320  | 50               |
| JFL 16127      | 200                     | 400  | 50               |

## J Flex

Abrasive cloth rolls

|               |                 |
|---------------|-----------------|
| Backing       | JF cotton cloth |
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | semi - open     |

### Applications

|         |   |
|---------|---|
| wood    | • |
| plastic | • |
| metal   | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |



| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| JFL 17185      | 1000                    | 24   | 25               |
| JFL 17186      | 1000                    | 36   | 25               |
| JFL 17187      | 1000                    | 40   | 25               |
| JFL 17188      | 1000                    | 60   | 25               |
| JFL 17189      | 1000                    | 80   | 25               |
| JFL 17190      | 1000                    | 100  | 25               |
| JFL 17191      | 1000                    | 120  | 25               |
| JFL 17192      | 1000                    | 150  | 25               |
| JFL 17193      | 1000                    | 180  | 25               |
| JFL 17194      | 1000                    | 220  | 25               |
| JFL 17195      | 1000                    | 240  | 25               |
| JFL 17197      | 1000                    | 320  | 25               |
| JFL 17199      | 1000                    | 400  | 25               |

For J Flex - different sizes of rolls, sheets and endless belts available upon request. Maximum jumboroll height: 1020mm.

Minimum order quantity: on asking.

## X

### Abrasive cloth rolls




|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | X cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | resin           |
| <b>Coating</b>       | semi - open     |

#### Applications

|                 |   |
|-----------------|---|
| wood            | • |
| plastic         | • |
| metal           | • |
| steel           | • |
| stainless steel | • |

#### Available grits

|       |       |      |
|-------|-------|------|
| 16 •  | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30 •  | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |



| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| XCL 14774      | 150                     | 16   | 25               |
| XCL 14775      | 150                     | 24   | 25               |
| XCL 14776      | 150                     | 36   | 25               |
| XCL 14777      | 150                     | 40   | 50               |
| XCL 14778      | 150                     | 60   | 50               |
| XCL 14779      | 150                     | 80   | 50               |
| XCL 14780      | 150                     | 100  | 50               |
| XCL 14781      | 150                     | 120  | 50               |
| XCL 14782      | 150                     | 150  | 50               |
| XCL 14783      | 150                     | 180  | 50               |
| XCL 16120      | 150                     | 220  | 50               |
| XCL 14784      | 150                     | 240  | 50               |

## X

### Abrasive cloth rolls




|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | X cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | resin           |
| <b>Coating</b>       | semi - open     |

#### Applications

|                 |   |
|-----------------|---|
| wood            | • |
| plastic         | • |
| metal           | • |
| steel           | • |
| stainless steel | • |

#### Available grits

|       |       |      |
|-------|-------|------|
| 16 •  | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30 •  | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |



| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| XCL 14785      | 200                     | 16   | 25               |
| XCL 14786      | 200                     | 24   | 25               |
| XCL 14787      | 200                     | 36   | 25               |
| XCL 14788      | 200                     | 40   | 25               |
| XCL 14789      | 200                     | 60   | 25               |
| XCL 14790      | 200                     | 80   | 25               |
| XCL 14791      | 200                     | 100  | 25               |
| XCL 14792      | 200                     | 120  | 25               |
| XCL 14793      | 200                     | 150  | 25               |
| XCL 14794      | 200                     | 180  | 25               |
| XCL 16121      | 200                     | 220  | 25               |
| XCL 14795      | 200                     | 240  | 25               |

## X

### Abrasive cloth belts



|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | X cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | resin           |
| <b>Coating</b>       | semi - open     |



Overlap type joint

#### Applications

|                 |   |
|-----------------|---|
| wood            | • |
| plastic         | • |
| metal           | • |
| steel           | • |
| stainless steel | • |


#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / lenght</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| XCL 33907      | 75 x 457                                | 24   | 10            |
| XCL 33908      | 75 x 457                                | 36   | 10            |
| XCL 33909      | 75 x 457                                | 40   | 10            |
| XCL 33910      | 75 x 457                                | 60   | 10            |
| XCL 33911      | 75 x 457                                | 80   | 10            |
| XCL 33912      | 75 x 457                                | 100  | 10            |
| XCL 33913      | 75 x 457                                | 120  | 10            |
| XCL 33914      | 75 x 457                                | 150  | 10            |
| XCL 33915      | 75 x 457                                | 180  | 10            |
| XCL 33916      | 75 x 457                                | 220  | 10            |
| XCL 33917      | 75 x 457                                | 240  | 10            |

## X

### Abrasive cloth belts



|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | X cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | resin           |
| <b>Coating</b>       | semi - open     |



Overlap type joint

#### Applications

|                 |   |
|-----------------|---|
| wood            | • |
| plastic         | • |
| metal           | • |
| steel           | • |
| stainless steel | • |

#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / lenght</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| XCL 33918      | 75 x 533                                | 24   | 10            |
| XCL 33919      | 75 x 533                                | 36   | 10            |
| XCL 33920      | 75 x 533                                | 40   | 10            |
| XCL 33921      | 75 x 533                                | 60   | 10            |
| XCL 33497      | 75 x 533                                | 80   | 10            |
| XCL 33922      | 75 x 533                                | 100  | 10            |
| XCL 33923      | 75 x 533                                | 120  | 10            |
| XCL 33924      | 75 x 533                                | 150  | 10            |
| XCL 33925      | 75 x 533                                | 180  | 10            |
| XCL 33926      | 75 x 533                                | 220  | 10            |
| XCL 33927      | 75 x 533                                | 240  | 10            |



# Abrasive cloth

## X

### Abrasive cloth belts



|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | X cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | resin           |
| <b>Coating</b>       | semi - open     |



Overlap type join

#### Applications

|                 |   |
|-----------------|---|
| wood            | • |
| plastic         | • |
| metal           | • |
| steel           | • |
| stainless steel | • |

#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / lenght</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| XCL 33928      | 100 x 610                               | 24   | 10            |
| XCL 33929      | 100 x 610                               | 36   | 10            |
| XCL 33231      | 100 x 610                               | 40   | 10            |
| XCL 33232      | 100 x 610                               | 60   | 10            |
| XCL 33233      | 100 x 610                               | 80   | 10            |
| XCL 33234      | 100 x 610                               | 100  | 10            |
| XCL 33235      | 100 x 610                               | 120  | 10            |
| XCL 33236      | 100 x 610                               | 150  | 10            |
| XCL 33237      | 100 x 610                               | 180  | 10            |
| XCL 33930      | 100 x 610                               | 220  | 10            |
| XCL 33931      | 100 x 610                               | 240  | 10            |

## X

### Abrasive cloth belts



|                      |                 |
|----------------------|-----------------|
| <b>Backing</b>       | X cotton cloth  |
| <b>Grain</b>         | aluminium oxide |
| <b>Bonding agent</b> | resin           |
| <b>Coating</b>       | semi - open     |



Wave type join

#### Applications

|      |   |
|------|---|
| wood | • |
|------|---|

#### Available grits

|       |       |      |
|-------|-------|------|
| 16 •  | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / lenght</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| XCL 33349      | 200 x 480                               | 16   | 5             |
| XCL 33165      | 200 x 480                               | 24   | 5             |
| XCL 33324      | 200 x 480                               | 36   | 5             |
| XCL 33207      | 200 x 480                               | 40   | 5             |
| XCL 33166      | 200 x 480                               | 60   | 10            |
| XCL 33167      | 200 x 480                               | 80   | 10            |
| XCL 33208      | 200 x 480                               | 100  | 10            |
| XCL 33209      | 200 x 480                               | 120  | 10            |
| XCL 34578      | 200 x 480                               | 150  | 10            |
| XCL 34579      | 200 x 480                               | 180  | 10            |
| XCL 34112      | 200 x 480                               | 220  | 10            |
| XCL 34580      | 200 x 480                               | 240  | 10            |

## X

### Abrasive cloth belts



|               |                 |
|---------------|-----------------|
| Backing       | X cotton cloth  |
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | semi - open     |



Wave type joint

#### Applications

|      |   |
|------|---|
| wood | • |
|------|---|


#### Available grits

|       |       |      |
|-------|-------|------|
| 16 •  | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / lenght</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| XCL 33186      | 200 x 551                               | 16   | 5             |
| XCL 33149      | 200 x 551                               | 24   | 5             |
| XCL 33150      | 200 x 551                               | 36   | 5             |
| XCL 33151      | 200 x 551                               | 40   | 5             |
| XCL 33152      | 200 x 551                               | 60   | 10            |
| XCL 33153      | 200 x 551                               | 80   | 10            |
| XCL 33154      | 200 x 551                               | 100  | 10            |
| XCL 33289      | 200 x 551                               | 120  | 10            |
| XCL 33932      | 200 x 551                               | 150  | 10            |
| XCL 33933      | 200 x 551                               | 180  | 10            |
| XCL 33934      | 200 x 551                               | 220  | 10            |
| XCL 33935      | 200 x 551                               | 240  | 10            |

## X

### Abrasive cloth belts



|               |                 |
|---------------|-----------------|
| Backing       | X cotton cloth  |
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | semi - open     |



Wave type joint

#### Applications

|      |   |
|------|---|
| wood | • |
|------|---|

#### Available grits

|       |       |      |
|-------|-------|------|
| 16 •  | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / lenght</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| XCL 33195      | 200 x 750                               | 16   | 10            |
| XCL 33144      | 200 x 750                               | 24   | 10            |
| XCL 33123      | 200 x 750                               | 36   | 10            |
| XCL 33124      | 200 x 750                               | 40   | 10            |
| XCL 33125      | 200 x 750                               | 60   | 10            |
| XCL 33126      | 200 x 750                               | 80   | 10            |
| XCL 33127      | 200 x 750                               | 100  | 10            |
| XCL 33128      | 200 x 750                               | 120  | 10            |
| XCL 33219      | 200 x 750                               | 150  | 10            |
| XCL 33220      | 200 x 750                               | 180  | 10            |
| XCL 33775      | 200 x 750                               | 220  | 10            |
| XCL 33936      | 200 x 750                               | 240  | 10            |

For X - different sizes of rolls and belts available upon request. Maximum jumboroll height: 1400mm.

Minimum order quantity: on asking.

## ZX

### Abrasive cloth rolls




|               |                  |
|---------------|------------------|
| Backing       | X cotton cloth   |
| Grain         | alumina zirconia |
| Bonding agent | resin            |
| Coating       | semi - open      |

#### Applications

|                 |   |
|-----------------|---|
| stainless steel | • |
| steel           | • |
| metal           | • |
| wood            | • |

#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |



| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| ZXC 15522      | 150                     | 24   | 25               |
| ZXC 15523      | 150                     | 36   | 25               |
| ZXC 15064      | 150                     | 40   | 50               |
| ZXC 15065      | 150                     | 60   | 50               |
| ZXC 15066      | 150                     | 80   | 50               |
| ZXC 15067      | 150                     | 100  | 50               |
| ZXC 15068      | 150                     | 120  | 50               |
| ZXC 15069      | 150                     | 150  | 50               |
| ZXC 15070      | 150                     | 180  | 50               |
| ZXC 16302      | 150                     | 220  | 50               |
| ZXC 15071      | 150                     | 240  | 50               |
| ZXC 16304      | 150                     | 320  | 50               |
| ZXC 16306      | 150                     | 400  | 50               |

## ZX

### Abrasive cloth rolls




|               |                  |
|---------------|------------------|
| Backing       | X cotton cloth   |
| Grain         | alumina zirconia |
| Bonding agent | resin            |
| Coating       | semi - open      |

#### Applications

|                 |   |
|-----------------|---|
| stainless steel | • |
| steel           | • |
| metal           | • |
| wood            | • |

#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |



| Catalog number | Dimension (mm)<br>width | Grit | Package (meters) |
|----------------|-------------------------|------|------------------|
| ZXC 15072      | 200                     | 24   | 25               |
| ZXC 15073      | 200                     | 36   | 25               |
| ZXC 15074      | 200                     | 40   | 25               |
| ZXC 15075      | 200                     | 60   | 25               |
| ZXC 15076      | 200                     | 80   | 25               |
| ZXC 15077      | 200                     | 100  | 25               |
| ZXC 15078      | 200                     | 120  | 25               |
| ZXC 15079      | 200                     | 150  | 25               |
| ZXC 15080      | 200                     | 180  | 25               |
| ZXC 16307      | 200                     | 220  | 25               |
| ZXC 15081      | 200                     | 240  | 25               |
| ZXC 16309      | 200                     | 320  | 25               |
| ZXC 16311      | 200                     | 400  | 25               |



## ZX

### Abrasive cloth belts



|               |                  |
|---------------|------------------|
| Backing       | X cotton cloth   |
| Grain         | alumina zirconia |
| Bonding agent | resin            |
| Coating       | semi - open      |



Wave type join

#### Applications

|      |   |
|------|---|
| wood | • |
|------|---|

#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / lenght</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| ZXC 32386      | 200 x 480                               | 24   | 5             |
| ZXC 32356      | 200 x 480                               | 36   | 5             |
| ZXC 32351      | 200 x 480                               | 40   | 5             |
| ZXC 32352      | 200 x 480                               | 60   | 10            |
| ZXC 32353      | 200 x 480                               | 80   | 10            |
| ZXC 32354      | 200 x 480                               | 100  | 10            |
| ZXC 32355      | 200 x 480                               | 120  | 10            |
| ZXC 33419      | 200 x 480                               | 150  | 10            |
| ZXC 33104      | 200 x 480                               | 180  | 10            |
| ZXC 33420      | 200 x 480                               | 220  | 10            |
| ZXC 33103      | 200 x 480                               | 240  | 10            |

## ZX

### Abrasive cloth belts



|               |                  |
|---------------|------------------|
| Backing       | X cotton cloth   |
| Grain         | alumina zirconia |
| Bonding agent | resin            |
| Coating       | semi - open      |



Wave type join

#### Applications

|      |   |
|------|---|
| wood | • |
|------|---|

#### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24 •  | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36 •  | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400 • | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><i>width / lenght</i> | Grit | Package (pcs) |
|----------------|-----------------------------------------|------|---------------|
| ZXC 32305      | 200 x 750                               | 24   | 10            |
| ZXC 32306      | 200 x 750                               | 36   | 10            |
| ZXC 32307      | 200 x 750                               | 40   | 10            |
| ZXC 32308      | 200 x 750                               | 60   | 10            |
| ZXC 32309      | 200 x 750                               | 80   | 10            |
| ZXC 32310      | 200 x 750                               | 100  | 10            |
| ZXC 32311      | 200 x 750                               | 120  | 10            |
| ZXC 32312      | 200 x 750                               | 150  | 10            |
| ZXC 32313      | 200 x 750                               | 180  | 10            |
| ZXC 32438      | 200 x 750                               | 220  | 10            |
| ZXC 32315      | 200 x 750                               | 240  | 10            |
| ZXC 32436      | 200 x 750                               | 320  | 10            |
| ZXC 32437      | 200 x 750                               | 400  | 10            |


For ZX - different sizes of rolls and endless belts available upon request. Maximum jumboroll height: 1400mm.

Minimum order quantity: on asking.

# Flexible sanding sponge block

## Retina

Flexible sanding sponge block coated on 4 sides



|               |                 |
|---------------|-----------------|
| Backing       | sponge          |
| Grain         | silicon carbide |
| Bonding agent | resin           |
| Coating       | close           |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metals                | • |
| steel                    | • |
| stainless steel          | • |


### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width / lenght / height | Grit | Package (pcs) |
|----------------|-------------------------------------------|------|---------------|
| RET 00175      | 100 x 70 x 25                             | 40   | 250           |
| RET 14104      | 100 x 70 x 25                             | 60   | 250           |
| RET 14105      | 100 x 70 x 25                             | 80   | 250           |
| RET 14106      | 100 x 70 x 25                             | 100  | 250           |
| RET 14107      | 100 x 70 x 25                             | 120  | 250           |
| RET 14108      | 100 x 70 x 25                             | 150  | 250           |
| RET 14109      | 100 x 70 x 25                             | 180  | 250           |
| RET 14110      | 100 x 70 x 25                             | 220  | 250           |
| RET 24315      | 100 x 70 x 25                             | 240  | 250           |

## Retina

Angle flexible sanding sponge block coated on 4 sides



|               |                 |
|---------------|-----------------|
| Backing       | sponge          |
| Grain         | silicon carbide |
| Bonding agent | resin           |
| Coating       | close           |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metals                | • |
| steel                    | • |
| stainless steel          | • |


### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240 • | 1500 |
| 40 •  | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width / lenght / height | Grit | Package (pcs) |
|----------------|-------------------------------------------|------|---------------|
| RET 00179      | 125 x 90 x 65 x 25                        | 40   | 250           |
| RET 00180      | 125 x 90 x 65 x 25                        | 60   | 250           |
| RET 00181      | 125 x 90 x 65 x 25                        | 80   | 250           |
| RET 00182      | 125 x 90 x 65 x 25                        | 100  | 250           |
| RET 00183      | 125 x 90 x 65 x 25                        | 120  | 250           |
| RET 00184      | 125 x 90 x 65 x 25                        | 150  | 250           |
| RET 00185      | 125 x 90 x 65 x 25                        | 180  | 250           |
| RET 00186      | 125 x 90 x 65 x 25                        | 220  | 250           |
| RET 00187      | 125 x 90 x 65 x 25                        | 240  | 250           |

## Retina

Flexible sanding sponge block coated on 2 sides



|               |                 |
|---------------|-----------------|
| Backing       | sponge          |
| Grain         | silicon carbide |
| Bonding agent | resin           |
| Coating       | close           |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metals                | • |
| steel                    | • |
| stainless steel          | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240   | 1500 |
| 40    | 280   | 2000 |
| 50    | 320   | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><small>width / lenght / height</small> | Grit | Package (pcs) |
|----------------|----------------------------------------------------------|------|---------------|
| RET 00153      | 120 x 95 x 10                                            | 60   | 250           |
| RET 00154      | 120 x 95 x 10                                            | 80   | 250           |
| RET 00155      | 120 x 95 x 10                                            | 100  | 250           |
| RET 00156      | 120 x 95 x 10                                            | 120  | 250           |
| RET 00157      | 120 x 95 x 10                                            | 150  | 250           |
| RET 00158      | 120 x 95 x 10                                            | 180  | 250           |
| RET 00168      | 120 x 95 x 10                                            | 220  | 250           |






## Fibrat A

Abrasive fiber discs

|               |                 |
|---------------|-----------------|
| Backing       | fiber 0,8mm     |
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | close           |



Maximum operating  
speed 80 m/s

### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| wood            | • |
| plastic         | • |

### Available grits

|       |     |      |
|-------|-----|------|
| 16 •  | 150 | 800  |
| 24 •  | 180 | 1000 |
| 30 •  | 220 | 1200 |
| 36 •  | 240 | 1500 |
| 40 •  | 280 | 2000 |
| 50    | 320 | 2500 |
| 60 •  | 360 | 3000 |
| 80 •  | 400 | 4000 |
| 100 • | 500 | 5000 |
| 120 • | 600 |      |

| Catalog number | Dimension (mm)<br><i>diameter / hole</i> | Grit | Package<br>(pcs) | Maximum RPM |
|----------------|------------------------------------------|------|------------------|-------------|
| FIA 13412      | 115 x 22.2                               | 16   | 25               | 13.300      |
| FIA 13413      | 115 x 22.2                               | 24   | 25               | 13.300      |
| FIA 13414      | 115 x 22.2                               | 36   | 25               | 13.300      |
| FIA 13415      | 115 x 22.2                               | 40   | 25               | 13.300      |
| FIA 13417      | 115 x 22.2                               | 60   | 25               | 13.300      |
| FIA 13418      | 115 x 22.2                               | 80   | 25               | 13.300      |
| FIA 13419      | 115 x 22.2                               | 100  | 25               | 13.300      |
| FIA 13420      | 115 x 22.2                               | 120  | 25               | 13.300      |
| FIA 13421      | 125 x 22.2                               | 16   | 25               | 12.200      |
| FIA 13422      | 125 x 22.2                               | 24   | 25               | 12.200      |
| FIA 13423      | 125 x 22.2                               | 36   | 25               | 12.200      |
| FIA 13424      | 125 x 22.2                               | 40   | 25               | 12.200      |
| FIA 13426      | 125 x 22.2                               | 60   | 25               | 12.200      |
| FIA 13427      | 125 x 22.2                               | 80   | 25               | 12.200      |
| FIA 13428      | 125 x 22.2                               | 100  | 25               | 12.200      |
| FIA 13429      | 125 x 22.2                               | 120  | 25               | 12.200      |
| FIA 13430      | 178 x 22.2                               | 16   | 25               | 8.500       |
| FIA 13431      | 178 x 22.2                               | 24   | 25               | 8.500       |
| FIA 13432      | 178 x 22.2                               | 36   | 25               | 8.500       |
| FIA 13433      | 178 x 22.2                               | 40   | 25               | 8.500       |
| FIA 13435      | 178 x 22.2                               | 60   | 25               | 8.500       |
| FIA 13436      | 178 x 22.2                               | 80   | 25               | 8.500       |
| FIA 13437      | 178 x 22.2                               | 100  | 25               | 8.500       |
| FIA 13438      | 178 x 22.2                               | 120  | 25               | 8.500       |

## Vellro A

Abrasive non-woven rolls



|               |                 |
|---------------|-----------------|
| Grain         | aluminium oxide |
| Bonding agent | resin           |




### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metal                 | • |
| steel                    | • |
| stainless steel          | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150   | 800  |
| 24    | 180 • | 1000 |
| 30    | 220   | 1200 |
| 36    | 240   | 1500 |
| 40    | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60    | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100   | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width | Grit            | Package (meters) |
|----------------|-------------------------|-----------------|------------------|
| VEL 00021      | 150                     | Coarse - 80     | 10               |
| VEL 00040      | 150                     | Medium - 120    | 10               |
| VEL 00022      | 150                     | Fine - 180      | 10               |
| VEL 00041      | 150                     | Very Fine - 320 | 10               |



## Vellro A

Abrasive non-woven sheets

|               |                 |
|---------------|-----------------|
| Grain         | aluminium oxide |
| Bonding agent | resin           |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metal                 | • |
| steel                    | • |
| stainless steel          | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150   | 800  |
| 24    | 180 • | 1000 |
| 30    | 220   | 1200 |
| 36    | 240   | 1500 |
| 40    | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60    | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100   | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br>width / lenght | Grit            | Package (pcs) |
|----------------|----------------------------------|-----------------|---------------|
| VEL 00009      | 150 x 200                        | Coarse - 80     | 10            |
| VEL 00010      | 150 x 200                        | Medium - 120    | 10            |
| VEL 00011      | 150 x 200                        | Fine - 180      | 10            |
| VEL 00012      | 150 x 200                        | Very Fine - 320 | 10            |

## Vellro C

Abrasive non-woven rolls



|               |                 |
|---------------|-----------------|
| Grain         | silicon carbide |
| Bonding agent | resin           |




### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metal                 | • |
| steel                    | • |
| stainless steel          | • |

### Available grits

|     |       |        |
|-----|-------|--------|
| 16  | 150   | 800    |
| 24  | 180   | 1000 • |
| 30  | 220   | 1200   |
| 36  | 240   | 1500   |
| 40  | 280   | 2000   |
| 50  | 320   | 2500   |
| 60  | 360   | 3000   |
| 80  | 400   | 4000   |
| 100 | 500   | 5000   |
| 120 | 600 • |        |

| Catalog number | Dimension (mm)<br>width | Grit              | Package (meters) |
|----------------|-------------------------|-------------------|------------------|
| VEL 00042      | 150                     | Super Fine - 600  | 10               |
| VEL 00023      | 150                     | Ultra Fine - 1000 | 10               |



## Vellro C

Abrasive non-woven sheets

|               |                 |
|---------------|-----------------|
| Grain         | silicon carbide |
| Bonding agent | resin           |



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metal                 | • |
| steel                    | • |
| stainless steel          | • |

### Available grits

|     |       |        |
|-----|-------|--------|
| 16  | 150   | 800    |
| 24  | 180   | 1000 • |
| 30  | 220   | 1200   |
| 36  | 240   | 1500   |
| 40  | 280   | 2000   |
| 50  | 320   | 2500   |
| 60  | 360   | 3000   |
| 80  | 400   | 4000   |
| 100 | 500   | 5000   |
| 120 | 600 • |        |

| Catalog number | Dimension (mm)<br><small>width / lenght</small> | Grit              | Package (pcs) |
|----------------|-------------------------------------------------|-------------------|---------------|
| VEL 00003      | 150 x 200                                       | Super Fine - 600  | 10            |
| VEL 00013      | 150 x 200                                       | Ultra Fine - 1000 | 10            |



## Vellro Z

Abrasive non-woven rolls

|               |                  |
|---------------|------------------|
| Grain         | alumina zirconia |
| Bonding agent | resin            |




### Applications

|                 |   |
|-----------------|---|
| stainless steel | • |
| NF metals       | • |
| steel           | • |
| metal           | • |
| wood            | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150   | 800  |
| 24    | 180 • | 1000 |
| 30    | 220   | 1200 |
| 36    | 240   | 1500 |
| 40    | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60    | 360   | 3000 |
| 80    | 400   | 4000 |
| 100   | 500   | 5000 |
| 120 • | 600   |      |

| Catalog number | Dimension (mm)<br><small>width</small> | Grit            | Package (meters) |
|----------------|----------------------------------------|-----------------|------------------|
| VEL 00087      | 150                                    | Medium - 120    | 10               |
| VEL 00088      | 150                                    | Fine - 180      | 10               |
| VEL 00089      | 150                                    | Very Fine - 320 | 10               |



## Vellro Z

Abrasive non-woven sheets

|               |                  |
|---------------|------------------|
| Grain         | alumina zirconia |
| Bonding agent | resin            |



### Applications


|                 |   |
|-----------------|---|
| stainless steel | • |
| NF metals       | • |
| steel           | • |
| metal           | • |
| wood            | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150   | 800  |
| 24    | 180 • | 1000 |
| 30    | 220   | 1200 |
| 36    | 240   | 1500 |
| 40    | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60    | 360   | 3000 |
| 80    | 400   | 4000 |
| 100   | 500   | 5000 |
| 120 • | 600   |      |


| Catalog number | Dimension (mm)<br><small>width / lenght</small> | Grit            | Package (pcs) |
|----------------|-------------------------------------------------|-----------------|---------------|
| VEL 00090      | 150 x 200                                       | Medium - 120    | 10            |
| VEL 00091      | 150 x 200                                       | Fine - 180      | 10            |
| VEL 00092      | 150 x 200                                       | Very Fine - 320 | 10            |





## Nylon

Special abrasive non-woven discs - clean strips



### Applications

|                          |   |
|--------------------------|---|
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metal                 | • |
| steel                    | • |
| stainless steel          | • |

| Catalog number | Dimension (mm)<br><i>diameter / hole</i> | Package (pcs) | Maximum operating speed | Maximum RPM |
|----------------|------------------------------------------|---------------|-------------------------|-------------|
| NYL 00010      | 125 x 22.2                               | 1             | 63 m/s                  | 9.600       |



## Nylon


Special abrasive non-woven wheels - clean strips



### Applications

|                          |   |
|--------------------------|---|
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metal                 | • |
| steel                    | • |
| stainless steel          | • |

| Catalog number | Dimension (mm)<br><i>diameter / thickness / hole</i> | Package (pcs) | Maximum operating speed | Maximum RPM |
|----------------|------------------------------------------------------|---------------|-------------------------|-------------|
| NYL 00002      | 125 x 14 x 14                                        | 1             | 40 m/s                  | 6.100       |
| NYL 00001      | 150 x 14 x 14                                        | 1             | 40 m/s                  | 5.100       |



## Nylon Blue

Special abrasive non-woven discs - clean strips



### Obszary zastosowań

|                            |   |
|----------------------------|---|
| tworzywa sztuczne          | • |
| farby / lakiery / szpachle | • |
| szkło / kamień             | • |
| metale                     | • |
| metale nieżelazne          | • |
| stal                       | • |
| stal szlachetna            | • |


| Catalog number | Dimension (mm)<br><i>diameter / hole</i> | Package (pcs) | Maximum operating speed | Maximum RPM |
|----------------|------------------------------------------|---------------|-------------------------|-------------|
| NYL 00050      | 125 x 22.2                               | 1             | 63 m/s                  | 9.600       |



## Vellron

Abrasive flap discs

|               |                 |
|---------------|-----------------|
| Grain         | aluminium oxide |
| Bonding agent | resin           |



Maximum operating speed 63 m/s

NEW



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metals                | • |
| steel                    | • |
| stainless steel          | • |

### Available grits

|     |       |      |
|-----|-------|------|
| 16  | 150   | 800  |
| 24  | 180 • | 1000 |
| 30  | 220   | 1200 |
| 36  | 240   | 1500 |
| 40  | 280   | 2000 |
| 50  | 320   | 2500 |
| 60  | 360   | 3000 |
| 80  | 400   | 4000 |
| 100 | 500   | 5000 |
| 120 | 600   |      |

N41a / T27 - flat disc


| Catalog number | Type       | Dimension (mm)<br><i>diameter / hole</i> | Grit<br><i>non-woven</i> | Package<br>(pcs) | Maximum RPM |
|----------------|------------|------------------------------------------|--------------------------|------------------|-------------|
| VEL 00128      | N41a / T27 | 125 x 22.2                               | Fine - 180               | 10               | 9.600       |



## Vellron Cloth

Abrasive flap discs

|               |                 |
|---------------|-----------------|
| Grain         | aluminium oxide |
| Bonding agent | resin           |



Maximum operating speed 63 m/s

NEW



### Applications

|                          |   |
|--------------------------|---|
| wood                     | • |
| plastic                  | • |
| paint / varnish / filler | • |
| glass / stone            | • |
| metal                    | • |
| NF metals                | • |
| steel                    | • |
| stainless steel          | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150   | 800  |
| 24    | 180 • | 1000 |
| 30    | 220   | 1200 |
| 36    | 240   | 1500 |
| 40    | 280   | 2000 |
| 50    | 320   | 2500 |
| 60    | 360   | 3000 |
| 80    | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120   | 600   |      |

N41a / T27 - flat disc


| Catalog number | Type       | Dimension (mm)<br><i>diameter / hole</i> | Grit<br><i>non-woven / cloth</i> | Package<br>(pcs) | Maximum RPM |
|----------------|------------|------------------------------------------|----------------------------------|------------------|-------------|
| VEL 00129      | N41a / T27 | 125 x 22.2                               | Fine - 180 / 100                 | 10               | 9.600       |



### Korkat

Abrasive flap discs

|               |                 |
|---------------|-----------------|
| Grain         | aluminium oxide |
| Bonding agent | resin           |



Maximum operating speed 80 m/s



N41a / T27 - flat disc



N41b / T29 - depressed disc

#### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metals       | • |
| steel           | • |
| stainless steel | • |
| wood            | • |


#### Available grits

|       |     |      |
|-------|-----|------|
| 16    | 150 | 800  |
| 24 •  | 180 | 1000 |
| 30    | 220 | 1200 |
| 36 •  | 240 | 1500 |
| 40 •  | 280 | 2000 |
| 50    | 320 | 2500 |
| 60 •  | 360 | 3000 |
| 80 •  | 400 | 4000 |
| 100 • | 500 | 5000 |
| 120 • | 600 |      |

| Catalog number | Type       | Dimension (mm)<br><i>diameter / hole</i> | Grit | Package (pcs) | Maximum RPM |
|----------------|------------|------------------------------------------|------|---------------|-------------|
| KOR 16232      | N41a / T27 | 115 x 22.2                               | 24   | 10            | 13.300      |
| KOR 13733      | N41a / T27 | 115 x 22.2                               | 36   | 10            | 13.300      |
| KOR 13734      | N41a / T27 | 115 x 22.2                               | 40   | 10            | 13.300      |
| KOR 13735      | N41a / T27 | 115 x 22.2                               | 60   | 10            | 13.300      |
| KOR 13736      | N41a / T27 | 115 x 22.2                               | 80   | 10            | 13.300      |
| KOR 13737      | N41a / T27 | 115 x 22.2                               | 100  | 10            | 13.300      |
| KOR 13738      | N41a / T27 | 115 x 22.2                               | 120  | 10            | 13.300      |
| KOR 16233      | N41a / T27 | 125 x 22.2                               | 24   | 10            | 12.200      |
| KOR 13739      | N41a / T27 | 125 x 22.2                               | 36   | 10            | 12.200      |
| KOR 13740      | N41a / T27 | 125 x 22.2                               | 40   | 10            | 12.200      |
| KOR 13741      | N41a / T27 | 125 x 22.2                               | 60   | 10            | 12.200      |
| KOR 13742      | N41a / T27 | 125 x 22.2                               | 80   | 10            | 12.200      |
| KOR 13743      | N41a / T27 | 125 x 22.2                               | 100  | 10            | 12.200      |
| KOR 13744      | N41a / T27 | 125 x 22.2                               | 120  | 10            | 12.200      |
| KOR 16234      | N41a / T27 | 180 x 22.2                               | 24   | 10            | 8.500       |
| KOR 13745      | N41a / T27 | 180 x 22.2                               | 36   | 10            | 8.500       |
| KOR 13746      | N41a / T27 | 180 x 22.2                               | 40   | 10            | 8.500       |
| KOR 13747      | N41a / T27 | 180 x 22.2                               | 60   | 10            | 8.500       |
| KOR 13748      | N41a / T27 | 180 x 22.2                               | 80   | 10            | 8.500       |
| KOR 13749      | N41a / T27 | 180 x 22.2                               | 100  | 10            | 8.500       |
| KOR 13750      | N41a / T27 | 180 x 22.2                               | 120  | 10            | 8.500       |
| KOR 16235      | N41b / T29 | 115 x 22.2                               | 24   | 10            | 13.300      |
| KOR 13751      | N41b / T29 | 115 x 22.2                               | 36   | 10            | 13.300      |
| KOR 13752      | N41b / T29 | 115 x 22.2                               | 40   | 10            | 13.300      |
| KOR 13753      | N41b / T29 | 115 x 22.2                               | 60   | 10            | 13.300      |
| KOR 13754      | N41b / T29 | 115 x 22.2                               | 80   | 10            | 13.300      |
| KOR 13755      | N41b / T29 | 115 x 22.2                               | 100  | 10            | 13.300      |
| KOR 13756      | N41b / T29 | 115 x 22.2                               | 120  | 10            | 13.300      |
| KOR 16236      | N41b / T29 | 125 x 22.2                               | 24   | 10            | 12.200      |
| KOR 13757      | N41b / T29 | 125 x 22.2                               | 36   | 10            | 12.200      |
| KOR 13758      | N41b / T29 | 125 x 22.2                               | 40   | 10            | 12.200      |
| KOR 13759      | N41b / T29 | 125 x 22.2                               | 60   | 10            | 12.200      |
| KOR 13760      | N41b / T29 | 125 x 22.2                               | 80   | 10            | 12.200      |
| KOR 13761      | N41b / T29 | 125 x 22.2                               | 100  | 10            | 12.200      |
| KOR 13762      | N41b / T29 | 125 x 22.2                               | 120  | 10            | 12.200      |
| KOR 16237      | N41b / T29 | 180 x 22.2                               | 24   | 10            | 8.500       |
| KOR 13763      | N41b / T29 | 180 x 22.2                               | 36   | 10            | 8.500       |
| KOR 13764      | N41b / T29 | 180 x 22.2                               | 40   | 10            | 8.500       |
| KOR 13765      | N41b / T29 | 180 x 22.2                               | 60   | 10            | 8.500       |
| KOR 13766      | N41b / T29 | 180 x 22.2                               | 80   | 10            | 8.500       |
| KOR 13767      | N41b / T29 | 180 x 22.2                               | 100  | 10            | 8.500       |
| KOR 13768      | N41b / T29 | 180 x 22.2                               | 120  | 10            | 8.500       |




# Abrasive flap discs



## Cirkat

Abrasive flap discs

|               |                  |
|---------------|------------------|
| Grain         | alumina zirconia |
| Bonding agent | resin            |



Maximum operating  
speed 80 m/s



N41a / T27 - flat disc



N41b / T29 - depressed disc


### Applications

|                 |   |
|-----------------|---|
| stainless steel | • |
| steel           | • |
| metal           | • |
| wood            | • |

### Available grits

|       |     |      |
|-------|-----|------|
| 16    | 150 | 800  |
| 24    | 180 | 1000 |
| 30    | 220 | 1200 |
| 36 •  | 240 | 1500 |
| 40 •  | 280 | 2000 |
| 50    | 320 | 2500 |
| 60 •  | 360 | 3000 |
| 80 •  | 400 | 4000 |
| 100 • | 500 | 5000 |
| 120 • | 600 |      |


| Catalog number | Type       | Dimension (mm)<br><i>diameter / hole</i> | Grit | Package<br>(pcs) | Maximum RPM |
|----------------|------------|------------------------------------------|------|------------------|-------------|
| CIR 12880      | N41a / T27 | 115 x 22.2                               | 36   | 10               | 13.300      |
| CIR 12881      | N41a / T27 | 115 x 22.2                               | 40   | 10               | 13.300      |
| CIR 12882      | N41a / T27 | 115 x 22.2                               | 60   | 10               | 13.300      |
| CIR 12883      | N41a / T27 | 115 x 22.2                               | 80   | 10               | 13.300      |
| CIR 12884      | N41a / T27 | 115 x 22.2                               | 100  | 10               | 13.300      |
| CIR 12885      | N41a / T27 | 115 x 22.2                               | 120  | 10               | 13.300      |
| CIR 12886      | N41a / T27 | 125 x 22.2                               | 36   | 10               | 12.200      |
| CIR 12887      | N41a / T27 | 125 x 22.2                               | 40   | 10               | 12.200      |
| CIR 12888      | N41a / T27 | 125 x 22.2                               | 60   | 10               | 12.200      |
| CIR 12889      | N41a / T27 | 125 x 22.2                               | 80   | 10               | 12.200      |
| CIR 12890      | N41a / T27 | 125 x 22.2                               | 100  | 10               | 12.200      |
| CIR 12891      | N41a / T27 | 125 x 22.2                               | 120  | 10               | 12.200      |
| CIR 12892      | N41a / T27 | 180 x 22.2                               | 36   | 10               | 8.500       |
| CIR 12893      | N41a / T27 | 180 x 22.2                               | 40   | 10               | 8.500       |
| CIR 12894      | N41a / T27 | 180 x 22.2                               | 60   | 10               | 8.500       |
| CIR 12895      | N41a / T27 | 180 x 22.2                               | 80   | 10               | 8.500       |
| CIR 12896      | N41a / T27 | 180 x 22.2                               | 100  | 10               | 8.500       |
| CIR 12897      | N41a / T27 | 180 x 22.2                               | 120  | 10               | 8.500       |
| CIR 12898      | N41b / T29 | 115 x 22.2                               | 36   | 10               | 13.300      |
| CIR 12899      | N41b / T29 | 115 x 22.2                               | 40   | 10               | 13.300      |
| CIR 12900      | N41b / T29 | 115 x 22.2                               | 60   | 10               | 13.300      |
| CIR 12901      | N41b / T29 | 115 x 22.2                               | 80   | 10               | 13.300      |
| CIR 12902      | N41b / T29 | 115 x 22.2                               | 100  | 10               | 13.300      |
| CIR 12903      | N41b / T29 | 115 x 22.2                               | 120  | 10               | 13.300      |
| CIR 12904      | N41b / T29 | 125 x 22.2                               | 36   | 10               | 12.200      |
| CIR 12905      | N41b / T29 | 125 x 22.2                               | 40   | 10               | 12.200      |
| CIR 12906      | N41b / T29 | 125 x 22.2                               | 60   | 10               | 12.200      |
| CIR 12907      | N41b / T29 | 125 x 22.2                               | 80   | 10               | 12.200      |
| CIR 12908      | N41b / T29 | 125 x 22.2                               | 100  | 10               | 12.200      |
| CIR 12909      | N41b / T29 | 125 x 22.2                               | 120  | 10               | 12.200      |
| CIR 12910      | N41b / T29 | 180 x 22.2                               | 36   | 10               | 8.500       |
| CIR 12911      | N41b / T29 | 180 x 22.2                               | 40   | 10               | 8.500       |
| CIR 12912      | N41b / T29 | 180 x 22.2                               | 60   | 10               | 8.500       |
| CIR 12913      | N41b / T29 | 180 x 22.2                               | 80   | 10               | 8.500       |
| CIR 12914      | N41b / T29 | 180 x 22.2                               | 100  | 10               | 8.500       |
| CIR 12915      | N41b / T29 | 180 x 22.2                               | 120  | 10               | 8.500       |



## Enro

Abrasive flap discs

|               |                  |
|---------------|------------------|
| Grain         | alumina zirconia |
| Bonding agent | resin            |



Maximum operating speed 80 m/s



### Applications

|                 |   |
|-----------------|---|
| stainless steel | • |
| steel           | • |
| metal           | • |
| wood            | • |


### Available grits

|       |     |      |
|-------|-----|------|
| 16    | 150 | 800  |
| 24    | 180 | 1000 |
| 30    | 220 | 1200 |
| 36    | 240 | 1500 |
| 40 •  | 280 | 2000 |
| 50    | 320 | 2500 |
| 60 •  | 360 | 3000 |
| 80 •  | 400 | 4000 |
| 100 • | 500 | 5000 |
| 120 • | 600 |      |



N41b / T29 - depressed disc


| Catalog number | Type       | Dimension (mm)<br><i>diameter / hole</i> | Grit | Package (pcs) | Maximum RPM |
|----------------|------------|------------------------------------------|------|---------------|-------------|
| ENR 00001      | N41b / T29 | 125 x 22.2                               | 40   | 10            | 12.200      |
| ENR 00002      | N41b / T29 | 125 x 22.2                               | 60   | 10            | 12.200      |
| ENR 00003      | N41b / T29 | 125 x 22.2                               | 80   | 10            | 12.200      |
| ENR 00004      | N41b / T29 | 125 x 22.2                               | 100  | 10            | 12.200      |
| ENR 00005      | N41b / T29 | 125 x 22.2                               | 120  | 10            | 12.200      |



## Zekat

Abrasive flap discs

|               |                  |
|---------------|------------------|
| Grain         | alumina zirconia |
| Bonding agent | resin            |



Maximum operating speed 80 m/s



### Applications

|                 |   |
|-----------------|---|
| stainless steel | • |
| steel           | • |
| metal           | • |
| wood            | • |

### Available grits

|       |     |      |
|-------|-----|------|
| 16    | 150 | 800  |
| 24    | 180 | 1000 |
| 30    | 220 | 1200 |
| 36 •  | 240 | 1500 |
| 40 •  | 280 | 2000 |
| 50    | 320 | 2500 |
| 60 •  | 360 | 3000 |
| 80 •  | 400 | 4000 |
| 100 • | 500 | 5000 |
| 120 • | 600 |      |

N41b / T29 - depressed disc

| Catalog number | Type       | Dimension (mm)<br><i>diameter / hole</i> | Grit | Package (pcs) | Maximum RPM |
|----------------|------------|------------------------------------------|------|---------------|-------------|
| ZEK 16939      | N41b / T29 | 125 x 22.2                               | 36   | 10            | 12.200      |
| ZEK 16940      | N41b / T29 | 125 x 22.2                               | 40   | 10            | 12.200      |
| ZEK 16941      | N41b / T29 | 125 x 22.2                               | 60   | 10            | 12.200      |
| ZEK 16942      | N41b / T29 | 125 x 22.2                               | 80   | 10            | 12.200      |
| ZEK 16943      | N41b / T29 | 125 x 22.2                               | 100  | 10            | 12.200      |
| ZEK 16944      | N41b / T29 | 125 x 22.2                               | 120  | 10            | 12.200      |




## Primkat

Abrasive flap discs



|               |                 |
|---------------|-----------------|
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Backing       | fiberglass net  |



Maximum operating speed 80 m/s



### Applications

|           |   |
|-----------|---|
| aluminium | • |
|-----------|---|

### Available grits

|       |     |      |
|-------|-----|------|
| 16    | 150 | 800  |
| 24    | 180 | 1000 |
| 30    | 220 | 1200 |
| 36    | 240 | 1500 |
| 40 •  | 280 | 2000 |
| 50    | 320 | 2500 |
| 60 •  | 360 | 3000 |
| 80 •  | 400 | 4000 |
| 100   | 500 | 5000 |
| 120 • | 600 |      |

N41b / T29 - depressed disc


| Catalog number | Type       | Dimension (mm)<br><i>diameter / hole</i> | Grit | Package (pcs) | Maximum RPM |
|----------------|------------|------------------------------------------|------|---------------|-------------|
| PRI 00032      | N41b / T29 | 125 x 22.2                               | 40   | 10            | 12.200      |
| PRI 00033      | N41b / T29 | 125 x 22.2                               | 60   | 10            | 12.200      |
| PRI 00034      | N41b / T29 | 125 x 22.2                               | 80   | 10            | 12.200      |
| PRI 00035      | N41b / T29 | 125 x 22.2                               | 120  | 10            | 12.200      |

## Redkat

Abrasive flap discs



|               |         |
|---------------|---------|
| Grain         | ceramic |
| Bonding agent | resin   |



Maximum operating  
speed 80 m/s



| Applications    |   |
|-----------------|---|
| stainless steel | • |
| steel           | • |
| metal           | • |



| Available grits |     |      |
|-----------------|-----|------|
| 16              | 150 | 800  |
| 24              | 180 | 1000 |
| 30              | 220 | 1200 |
| 36              | 240 | 1500 |
| 40 •            | 280 | 2000 |
| 50              | 320 | 2500 |
| 60 •            | 360 | 3000 |
| 80 •            | 400 | 4000 |
| 100 •           | 500 | 5000 |
| 120 •           | 600 |      |

N41b / T29 - depressed disc

| Catalog number | Type       | Dimension (mm)<br><i>diameter / hole</i> | Grit | Package<br>(pcs) | Maximum RPM |
|----------------|------------|------------------------------------------|------|------------------|-------------|
| REK 00001      | N41b / T29 | 125 x 22.2                               | 36   | 10               | 12.200      |
| REK 00002      | N41b / T29 | 125 x 22.2                               | 40   | 10               | 12.200      |
| REK 00003      | N41b / T29 | 125 x 22.2                               | 60   | 10               | 12.200      |
| REK 00004      | N41b / T29 | 125 x 22.2                               | 80   | 10               | 12.200      |
| REK 00005      | N41b / T29 | 125 x 22.2                               | 100  | 10               | 12.200      |
| REK 00006      | N41b / T29 | 125 x 22.2                               | 120  | 10               | 12.200      |






## Spinner A

Abrasive flap wheels with shank

|               |                 |
|---------------|-----------------|
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | semi - open     |



### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| wood            | • |
| plastic         | • |

### Available grits

|       |     |      |
|-------|-----|------|
| 16    | 150 | 800  |
| 24    | 180 | 1000 |
| 30    | 220 | 1200 |
| 36    | 240 | 1500 |
| 40 •  | 280 | 2000 |
| 50    | 320 | 2500 |
| 60 •  | 360 | 3000 |
| 80 •  | 400 | 4000 |
| 100 • | 500 | 5000 |
| 120 • | 600 |      |


| Catalog number | Dimension (mm)<br><i>diameter / height / shank</i> | Grit | Package (pcs) | Maximum operating speed |
|----------------|----------------------------------------------------|------|---------------|-------------------------|
| SPA 14161      | 40 x 20 x 6                                        | 40   | 10            | 19.000                  |
| SPA 14162      | 40 x 20 x 6                                        | 60   | 10            | 19.000                  |
| SPA 14163      | 40 x 20 x 6                                        | 80   | 10            | 19.000                  |
| SPA 14164      | 40 x 20 x 6                                        | 100  | 10            | 19.000                  |
| SPA 14165      | 40 x 20 x 6                                        | 120  | 10            | 19.000                  |
| SPA 14171      | 50 x 30 x 6                                        | 40   | 10            | 15.200                  |
| SPA 14172      | 50 x 30 x 6                                        | 60   | 10            | 15.200                  |
| SPA 14173      | 50 x 30 x 6                                        | 80   | 10            | 15.200                  |
| SPA 14174      | 50 x 30 x 6                                        | 100  | 10            | 15.200                  |
| SPA 14175      | 50 x 30 x 6                                        | 120  | 10            | 15.200                  |
| SPA 14181      | 60 x 30 x 6                                        | 40   | 10            | 12.700                  |
| SPA 14182      | 60 x 30 x 6                                        | 60   | 10            | 12.700                  |
| SPA 14183      | 60 x 30 x 6                                        | 80   | 10            | 12.700                  |
| SPA 14184      | 60 x 30 x 6                                        | 100  | 10            | 12.700                  |
| SPA 14185      | 60 x 30 x 6                                        | 120  | 10            | 12.700                  |
| SPA 14191      | 80 x 30 x 6                                        | 40   | 10            | 9.500                   |
| SPA 14192      | 80 x 30 x 6                                        | 60   | 10            | 9.500                   |
| SPA 14193      | 80 x 30 x 6                                        | 80   | 10            | 9.500                   |
| SPA 14194      | 80 x 30 x 6                                        | 100  | 10            | 9.500                   |
| SPA 14195      | 80 x 30 x 6                                        | 120  | 10            | 9.500                   |
| SPA 14196      | 80 x 40 x 6                                        | 40   | 10            | 9.500                   |
| SPA 14197      | 80 x 40 x 6                                        | 60   | 10            | 9.500                   |
| SPA 14198      | 80 x 40 x 6                                        | 80   | 10            | 9.500                   |
| SPA 14199      | 80 x 40 x 6                                        | 100  | 10            | 9.500                   |
| SPA 14200      | 80 x 40 x 6                                        | 120  | 10            | 9.500                   |

## Spinner AV

Abrasive flap wheels with shank



|               |                   |
|---------------|-------------------|
| Grain         | aluminium oxide   |
| Bonding agent | resin             |
| Coating       | semi - open       |
| Material      | non-woven / cloth |



### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| wood            | • |
| plastic         | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150 • | 800  |
| 24    | 180 • | 1000 |
| 30    | 220 • | 1200 |
| 36    | 240   | 1500 |
| 40    | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60 •  | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100 • | 500   | 5000 |
| 120 • | 600   |      |

NEW

| Catalog number | Dimension (mm)<br>diameter / height / shank | Grit<br>non-woven / cloth | Package<br>(pcs) | Maximum<br>operating speed |
|----------------|---------------------------------------------|---------------------------|------------------|----------------------------|
| SPA 20336      | 60 x 30 x 6                                 | Coarse - 80 / 60          | 10               | 10.000                     |
| SPA 20337      | 60 x 30 x 6                                 | Medium - 120 / 100        | 10               | 10.000                     |
| SPA 20338      | 60 x 30 x 6                                 | Fine - 180 / 150          | 10               | 10.000                     |
| SPA 20339      | 60 x 30 x 6                                 | Very Fine - 320 / 220     | 10               | 10.000                     |
| SPA 20340      | 80 x 40 x 6                                 | Coarse - 80 / 60          | 10               | 7.500                      |
| SPA 20341      | 80 x 40 x 6                                 | Medium - 120 / 100        | 10               | 7.500                      |
| SPA 20342      | 80 x 40 x 6                                 | Fine - 180 / 150          | 10               | 7.500                      |
| SPA 20343      | 80 x 40 x 6                                 | Very Fine - 320 / 220     | 10               | 7.500                      |

## Spinner V

Abrasive flap wheels with shank



|               |                 |
|---------------|-----------------|
| Grain         | aluminium oxide |
| Bonding agent | resin           |
| Coating       | semi - open     |
| Material      | non-woven       |



### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| wood            | • |
| plastic         | • |

### Available grits

|       |       |      |
|-------|-------|------|
| 16    | 150   | 800  |
| 24    | 180 • | 1000 |
| 30    | 220   | 1200 |
| 36    | 240   | 1500 |
| 40    | 280   | 2000 |
| 50    | 320 • | 2500 |
| 60    | 360   | 3000 |
| 80 •  | 400   | 4000 |
| 100   | 500   | 5000 |
| 120 • | 600   |      |

NEW

| Catalog number | Dimension (mm)<br>diameter / height / shank | Grit<br>non-woven | Package<br>(pcs) | Maximum<br>operating speed |
|----------------|---------------------------------------------|-------------------|------------------|----------------------------|
| SPA 20344      | 60 x 30 x 6                                 | Coarse - 80       | 10               | 10.000                     |
| SPA 20345      | 60 x 30 x 6                                 | Medium - 120      | 10               | 10.000                     |
| SPA 20346      | 60 x 30 x 6                                 | Fine - 180        | 10               | 10.000                     |
| SPA 20347      | 60 x 30 x 6                                 | Very Fine - 320   | 10               | 10.000                     |
| SPA 20348      | 80 x 40 x 6                                 | Coarse - 80       | 10               | 7.500                      |
| SPA 20349      | 80 x 40 x 6                                 | Medium - 120      | 10               | 7.500                      |
| SPA 20350      | 80 x 40 x 6                                 | Fine - 180        | 10               | 7.500                      |
| SPA 20351      | 80 x 40 x 6                                 | Very Fine - 320   | 10               | 7.500                      |



### Semtul

Semi-flexible abrasive discs

|               |                 |
|---------------|-----------------|
| Backing       | fiber disc      |
| Grain         | silicon carbide |
| Bonding agent | resin           |



Maximum operating speed 80 m/s

Recommended use  
grinding backing pad 125mm  
(catalog number AKA 12592)

#### Applications

|               |   |
|---------------|---|
| plastic       | • |
| glass / stone | • |

#### Available grits

|       |     |      |
|-------|-----|------|
| 16 •  | 150 | 800  |
| 24 •  | 180 | 1000 |
| 30    | 220 | 1200 |
| 36 •  | 240 | 1500 |
| 40 •  | 280 | 2000 |
| 50    | 320 | 2500 |
| 60 •  | 360 | 3000 |
| 80 •  | 400 | 4000 |
| 100 • | 500 | 5000 |
| 120 • | 600 |      |

| Catalog number | Dimension (mm)<br><i>diameter / hole</i> | Grit | Package (pcs) | Maximum RPM |
|----------------|------------------------------------------|------|---------------|-------------|
| SEM 16171      | 125 x 22.2                               | 16   | 10            | 12.200      |
| SEM 14147      | 125 x 22.2                               | 24   | 10            | 12.200      |
| SEM 14148      | 125 x 22.2                               | 36   | 10            | 12.200      |
| SEM 14149      | 125 x 22.2                               | 40   | 10            | 12.200      |
| SEM 14150      | 125 x 22.2                               | 60   | 10            | 12.200      |
| SEM 14151      | 125 x 22.2                               | 80   | 10            | 12.200      |
| SEM 14152      | 125 x 22.2                               | 100  | 10            | 12.200      |
| SEM 14153      | 125 x 22.2                               | 120  | 10            | 12.200      |






## Pieg

Polishing disc

|               |                |
|---------------|----------------|
| Backing       | fiberglass net |
| Grit          | diamond        |
| Bonding agent | paste          |



### Applications

|                    |   |
|--------------------|---|
| building materials | • |
| tile               | • |
| marble             | • |
| ceramic            | • |

### Available grits

|       |       |        |
|-------|-------|--------|
| 16    | 150   | 800 •  |
| 24    | 180   | 1000   |
| 30    | 200 • | 1200   |
| 36    | 240   | 1500 • |
| 40    | 280   | 2000 • |
| 50 •  | 320   | 2500   |
| 60    | 360   | 3000 • |
| 80    | 400 • | 4000   |
| 100 • | 500   | 5000   |
| 120   | 600   |        |

**NEW**

| Catalog number | Dimension (mm)<br><i>diameter / hole</i> | Grit | Package<br>(pcs) | Maximum RPM |
|----------------|------------------------------------------|------|------------------|-------------|
| PIG 00001      | 100 x 15                                 | 50   | 1                | 3.000       |
| PIG 00002      | 100 x 15                                 | 100  | 1                | 3.000       |
| PIG 00003      | 100 x 15                                 | 200  | 1                | 3.000       |
| PIG 00004      | 100 x 15                                 | 400  | 1                | 3.000       |
| PIG 00005      | 100 x 15                                 | 800  | 1                | 3.000       |
| PIG 00006      | 100 x 15                                 | 1500 | 1                | 3.000       |
| PIG 00007      | 100 x 15                                 | 2000 | 1                | 3.000       |
| PIG 00008      | 100 x 15                                 | 3000 | 1                | 3.000       |
| PIG 00009      | 125 x 15                                 | 50   | 1                | 3.000       |
| PIG 00010      | 125 x 15                                 | 100  | 1                | 3.000       |
| PIG 00011      | 125 x 15                                 | 200  | 1                | 3.000       |
| PIG 00012      | 125 x 15                                 | 400  | 1                | 3.000       |
| PIG 00013      | 125 x 15                                 | 800  | 1                | 3.000       |
| PIG 00014      | 125 x 15                                 | 1500 | 1                | 3.000       |
| PIG 00015      | 125 x 15                                 | 2000 | 1                | 3.000       |
| PIG 00016      | 125 x 15                                 | 3000 | 1                | 3.000       |



## Platcorn

Diamond cutting blades

*Dry and wet cutting*



Maximum operating speed 80 m/s

### Applications

|                     |   |                    |   |
|---------------------|---|--------------------|---|
| paving              | • | building materials | • |
| reinforced concrete | • | clinker            | • |
| sandstone           | • | marble             | • |
| terracotta          | • | ceramic            | • |
| asphalt             | • | bricks             | • |
| cast iron           | • | concrete           | • |
| milled rock tiles   | • | granite            | • |
| roof tiles          | • | tile               | • |

| Catalog number | Dimension (mm)<br><small>diameter / thickness / height of diamond / hole</small> | Package (pcs) | Maximum RPM |
|----------------|----------------------------------------------------------------------------------|---------------|-------------|
| PTC 00001      | 115 x 1.2 x 10 x 22.2                                                            | 1             | 13.300      |
| PTC 00002      | 125 x 1.2 x 10 x 22.2                                                            | 1             | 12.200      |
| PTC 00007      | 200 x 1.9 x 12 x 25.4                                                            | 1             | 7.650       |
| PTC 00003      | 230 x 1.9 x 10 x 22.2                                                            | 1             | 6.600       |
| PTC 00008      | 230 x 1.9 x 12 x 25.4                                                            | 1             | 6.600       |



## Gerstone Segment

Diamond cutting blades

*Dry and wet cutting*



Maximum operating speed 80 m/s

### Applications

|                     |   |                    |   |
|---------------------|---|--------------------|---|
| paving              | • | building materials | • |
| reinforced concrete | • | clinker            | • |
| sandstone           | • | marble             | • |
| terracotta          | • | ceramic            | • |
| asphalt             | • | bricks             | • |
| cast iron           | • | concrete           | • |
| milled rock tiles   | • | granite            | • |
| roof tiles          | • | tile               | • |

| Catalog number | Dimension (mm) | Type                  | Package (pcs) | Maximum RPM |
|----------------|----------------|-----------------------|---------------|-------------|
| GES 00001      | Segment        | 115 x 1.8 x 8 x 22.2  | 1             | 13.300      |
| GES 00002      | Segment        | 125 x 1.8 x 8 x 22.2  | 1             | 12.200      |
| GES 00003      | Segment        | 230 x 2.4 x 8 x 22.2  | 1             | 6.600       |
| GES 00007      | Segment        | 350 x 3.6 x 10 x 25.4 | 1             | 4.370       |



## Piramid Continuous

Diamond cutting blades

*Wet cutting*



Maximum operating  
speed 80 m/s

### Applications

|                    |   |
|--------------------|---|
| building materials | • |
| tile               | • |
| marble             | • |
| ceramic            | • |

| Catalog number | Type       | Dimension (mm)<br><small>diameter / thickness / height of diamond / hole</small> | Package (pcs) | Maximum RPM |
|----------------|------------|----------------------------------------------------------------------------------|---------------|-------------|
| PIR 16870      | Continuous | 115 x 2.0 x 6 x 22.2                                                             | 1             | 13.300      |
| PIR 16871      | Continuous | 125 x 2.0 x 6 x 22.2                                                             | 1             | 12.200      |
| PIR 16971      | Continuous | 150 x 2.2 x 6 x 22.2                                                             | 1             | 10.200      |
| PIR 16872      | Continuous | 180 x 2.4 x 6 x 22.2                                                             | 1             | 8.500       |
| PIR 16985      | Continuous | 180 x 2.4 x 6 x 25.4                                                             | 1             | 8.500       |
| PIR 16986      | Continuous | 200 x 2.6 x 6 x 25.4                                                             | 1             | 6.600       |
| PIR 16873      | Continuous | 230 x 2.6 x 6 x 22.2                                                             | 1             | 6.600       |



## Piramid Segment

Diamond cutting blades

*Dry and wet cutting*



Maximum operating  
speed 80 m/s

### Applications

|                    |   |
|--------------------|---|
| building materials | • |
| clinker            | • |
| marble             | • |
| ceramic            | • |
| bricks             | • |
| concrete           | • |
| granite            | • |
| roof tiles         | • |

| Catalog number | Type    | Dimension (mm)<br><small>diameter / thickness / height of diamond / hole</small> | Package (pcs) | Maximum RPM |
|----------------|---------|----------------------------------------------------------------------------------|---------------|-------------|
| PIR 16862      | Segment | 115 x 2.0 x 7 x 22.2                                                             | 1             | 13.300      |
| PIR 16863      | Segment | 125 x 2.0 x 7 x 22.2                                                             | 1             | 12.200      |
| PIR 16972      | Segment | 150 x 2.2 x 7 x 22.2                                                             | 1             | 10.200      |
| PIR 16864      | Segment | 180 x 2.4 x 7 x 22.2                                                             | 1             | 8.500       |
| PIR 16865      | Segment | 230 x 2.6 x 7 x 22.2                                                             | 1             | 6.600       |





## Piramide Turbo

Diamond cutting blades

Dry and wet cutting




Maximum operating speed 80 m/s

### Applications


|                    |   |
|--------------------|---|
| building materials | • |
| clinker            | • |
| milled rock tiles  | • |
| ceramic            | • |
| bricks             | • |
| concrete           | • |
| granite            | • |

| Catalog number | Type  | Dimension (mm)<br><small>diameter / thickness / height of diamond / hole</small> | Package (pcs) | Maximum RPM |
|----------------|-------|----------------------------------------------------------------------------------|---------------|-------------|
| PIR 16866      | Turbo | 115 x 2.4 x 8 x 22.2                                                             | 1             | 13.300      |
| PIR 16867      | Turbo | 125 x 2.4 x 8 x 22.2                                                             | 1             | 12.200      |
| PIR 16973      | Turbo | 150 x 2.6 x 8 x 22.2                                                             | 1             | 10.200      |
| PIR 16868      | Turbo | 180 x 2.8 x 8 x 22.2                                                             | 1             | 8.500       |
| PIR 16869      | Turbo | 230 x 3.2 x 8 x 22.2                                                             | 1             | 6.600       |



## Piramid Grid 1R

Diamond grinding cup wheels



Maximum operating  
speed 80 m/s

### Applications

|                    |   |
|--------------------|---|
| building materials | • |
| concrete surfaces  | • |
| paving             | • |
| bricks             | • |

| Catalog number | Dimension (mm)<br><small>diameter / hole</small> | Package (pcs) | Maximum RPM |
|----------------|--------------------------------------------------|---------------|-------------|
| PIR 16978      | 125 x 22.2                                       | 1             | 12.200      |



## Piramid Grid 2R

Diamond grinding cup wheels



Maximum operating  
speed 80 m/s

### Applications

|                    |   |
|--------------------|---|
| building materials | • |
| concrete surfaces  | • |
| paving             | • |
| bricks             | • |


| Catalog number | Dimension (mm)<br><small>diameter / hole</small> | Package (pcs) | Maximum RPM |
|----------------|--------------------------------------------------|---------------|-------------|
| PIR 16979      | 125 x 22.2                                       | 1             | 12.200      |
| PIR 16987      | 180 x 22.2                                       | 1             | 8.500       |

NEW



## Piramid Grid T

Diamond grinding cup wheels



Maximum operating  
speed 80 m/s

### Applications

|                    |   |
|--------------------|---|
| building materials | • |
| concrete surfaces  | • |
| paving             | • |
| bricks             | • |

| Catalog number | Dimension (mm)<br><small>diameter / hole</small> | Package (pcs) | Maximum RPM |
|----------------|--------------------------------------------------|---------------|-------------|
| PIR 16980      | 125 x 22.2                                       | 1             | 12.200      |



## Piramid Grid TW

Diamond grinding cup wheels



Maximum operating  
speed 80 m/s

### Applications

|                    |   |
|--------------------|---|
| building materials | • |
| concrete surfaces  | • |
| paving             | • |
| bricks             | • |

NEW

| Catalog number | Dimension (mm)<br><small>diameter / hole</small> | Package (pcs) | Maximum RPM |
|----------------|--------------------------------------------------|---------------|-------------|
| PIR 16981      | 125 x 22.2                                       | 1             | 12.200      |

## Stroker A

Grinding cup wheels



Cup conical wheel T11



Maximum operating speed 50 m/s

### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metals       | • |
| steel           | • |
| stainless steel | • |

### Available grits

|       |     |      |
|-------|-----|------|
| 16 •  | 150 | 800  |
| 24 •  | 180 | 1000 |
| 30 •  | 220 | 1200 |
| 36 •  | 240 | 1500 |
| 40    | 280 | 2000 |
| 50    | 320 | 2500 |
| 60 •  | 360 | 3000 |
| 80 •  | 400 | 4000 |
| 100   | 500 | 5000 |
| 120 • | 600 |      |

| Catalog number | Type | Dimension (mm)<br>diameter / height / fixing | Characteristic<br>type of grain / grit / hardness | Package (pcs) | Maximum RPM |
|----------------|------|----------------------------------------------|---------------------------------------------------|---------------|-------------|
| STA 14253      | T11  | 100 x 50 x M14                               | A 16 R                                            | 2             | 8.500       |
| STA 14254      | T11  | 100 x 50 x M14                               | A 24 R                                            | 2             | 8.500       |
| STA 14255      | T11  | 100 x 50 x M14                               | A 30 R                                            | 2             | 8.500       |
| STA 14256      | T11  | 100 x 50 x M14                               | A 36 R                                            | 2             | 8.500       |
| STA 14257      | T11  | 100 x 50 x M14                               | A 60 R                                            | 2             | 8.500       |
| STA 16173      | T11  | 100 x 50 x M14                               | A 80 R                                            | 2             | 8.500       |
| STA 14258      | T11  | 100 x 50 x M14                               | A 120 R                                           | 2             | 8.500       |

## Stroker C

Grinding cup wheels



Cup conical wheel T11



Maximum operating speed 50 m/s

### Applications

|                  |   |
|------------------|---|
| stone / concrete | • |
| castings         | • |

### Available grits


|       |     |      |
|-------|-----|------|
| 16 •  | 150 | 800  |
| 24 •  | 180 | 1000 |
| 30 •  | 220 | 1200 |
| 36 •  | 240 | 1500 |
| 40    | 280 | 2000 |
| 50    | 320 | 2500 |
| 60 •  | 360 | 3000 |
| 80 •  | 400 | 4000 |
| 100   | 500 | 5000 |
| 120 • | 600 |      |

| Catalog number | Type | Dimension (mm)<br>diameter / height / fixing | Characteristic<br>type of grain / grit / hardness | Package (pcs) | Maximum RPM |
|----------------|------|----------------------------------------------|---------------------------------------------------|---------------|-------------|
| STC 14259      | T11  | 100 x 50 x M14                               | C 16 R                                            | 2             | 8.500       |
| STC 14260      | T11  | 100 x 50 x M14                               | C 24 R                                            | 2             | 8.500       |
| STC 14261      | T11  | 100 x 50 x M14                               | C 30 R                                            | 2             | 8.500       |
| STC 14262      | T11  | 100 x 50 x M14                               | C 36 R                                            | 2             | 8.500       |
| STC 14263      | T11  | 100 x 50 x M14                               | C 60 R                                            | 2             | 8.500       |
| STC 16174      | T11  | 100 x 50 x M14                               | C 80 R                                            | 2             | 8.500       |
| STC 14264      | T11  | 100 x 50 x M14                               | C 120 R                                           | 2             | 8.500       |



## Knot bevel brush

M14




### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| plastic         | • |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------|-------------|
| SZC 00014      | 115                               | 10            | 6.500       |
| SZC 00015      | 125                               | 10            | 6.500       |

## Knot wire cup brush

M14




### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| plastic         | • |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------|-------------|
| SZC 00011      | 60                                | 10            | 12.000      |
| SZC 00012      | 80                                | 10            | 12.000      |
| SZC 00013      | 100                               | 10            | 8.500       |

## Cup brush

M14



### Applications


|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| plastic         | • |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------|-------------|
| SZC 00042      | 60                                | 10            | 12.500      |
| SZC 00043      | 80                                | 10            | 11.000      |
| SZC 00044      | 100                               | 10            | 8.500       |



## Wheel brush

M14




### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| plastic         | • |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------|-------------|
| SZC 00039      | 115                               | 10            | 8.500       |
| SZC 00040      | 125                               | 10            | 8.500       |
| SZC 00041      | 150                               | 10            | 6.000       |



## Cup brush with shank




### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| plastic         | • |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------|-------------|
| SZC 00004      | 50                                | 10            | 4.500       |
| SZC 00005      | 65                                | 10            | 4.500       |
| SZC 00006      | 75                                | 10            | 4.500       |
| SZC 00007      | 100                               | 10            | 4.500       |



## Wheel brush with shank




### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| plastic         | • |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------|-------------|
| SZC 00001      | 50                                | 10            | 4.500       |
| SZC 00002      | 75                                | 10            | 4.500       |
| SZC 00003      | 100                               | 10            | 4.500       |

## End brush



### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| plastic         | • |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------|-------------|
| SZC 00038      | 12                                | 25            | 4.500       |
| SZC 00008      | 17                                | 25            | 4.500       |
| SZC 00009      | 25                                | 20            | 4.500       |
| SZC 00010      | 30                                | 20            | 4.500       |

## Steel wire brush with wooden handle




### Applications

|                 |   |
|-----------------|---|
| metal           | • |
| NF metal        | • |
| steel           | • |
| stainless steel | • |
| plastic         | • |

| Catalog number | Specification | Package (pcs) |
|----------------|---------------|---------------|
| SZC 00016      | 4 - rows      | 20            |
| SZC 00017      | 5 - rows      | 20            |

## Nylon cup brush

M14




NEW

### Applications

|                    |   |
|--------------------|---|
| NF metal           | • |
| wood               | • |
| plastic            | • |
| coated metal sheet | • |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Package<br>(pcs) | Maximum RPM |
|----------------|-----------------------------------|------------------|-------------|
| SZC 00051      | 60                                | 10               | 12.000      |
| SZC 00052      | 80                                | 10               | 11.000      |
| SZC 00053      | 100                               | 10               | 8.500       |

## Nylon cup brush with shank




NEW

### Applications

|                    |   |
|--------------------|---|
| NF metal           | • |
| wood               | • |
| plastic            | • |
| coated metal sheet | • |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Package<br>(pcs) | Maximum RPM |
|----------------|-----------------------------------|------------------|-------------|
| SZC 00045      | 50                                | 10               | 4.500       |
| SZC 00046      | 65                                | 10               | 4.500       |
| SZC 00047      | 75                                | 10               | 4.500       |

## Nylon wheel brush with shank



NEW

### Applications

|                    |   |
|--------------------|---|
| NF metal           | • |
| wood               | • |
| plastic            | • |
| coated metal sheet | • |

| Catalog number | Dimension (mm)<br><i>diameter</i> | Package<br>(pcs) | Maximum RPM |
|----------------|-----------------------------------|------------------|-------------|
| SZC 00048      | 50                                | 10               | 4.500       |
| SZC 00049      | 75                                | 10               | 4.500       |
| SZC 00050      | 100                               | 10               | 4.500       |





**Gerwood**  
TCT Saw blade



## Applications

|         |   |
|---------|---|
| wood    | • |
| plastic | • |


| Catalog number | Dimension (mm)<br>diameter / hole | Quantity of tooth | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|-------------------|---------------|-------------|
| GEW 00001      | 125 x 22.2                        | 24 T              | 1             | 12.000      |
| GEW 00002      | 125 x 22.2                        | 40 T              | 1             | 12.000      |

## GERMAFLEX LINE




- Product brand GermaFlex
- Product group GermaFlex
- Application
- Safety standards
- Maximum operating speed
- Colour code for maximum operating speed
- Maximum RPM (running per meter)
- Safety pictograms
- Operating restriction
- Barcode - EAN - 13
- Type
- Dimension (diameter / thickness / hole)
- Characteristic (type of grain / grit / hardness / bonding agent)
- Catalog number

## PREMIUM LINE



- Product group Premium
- Barcode - EAN - 13
- Safety standards
- Operating restriction
- Characteristic (type of grain / grit / hardness / bonding agent)
- Maximum operating speed
- Maximum RPM (running per meter)
- Colour code for maximum operating speed
- Application
- Dimension (diameter / thickness / hole)
- Type
- Safety pictograms
- Product brand GermaFlex
- Catalog number

## Safety pictograms



Use safety muffs



Use dust mask



Use safety gloves



Use safety goggles



Observe safety rules



Do not use for side grinding

# Cutting and grinding discs for metal and stone


**Germa  
Flex**

## GERMAFLEX LINE




### Cutting discs for METAL

Flat for cutting type T41




Depressed for cutting type T42



Bonding agent - resin BF

Maximum operating speed 80 m/s



| Catalog number | Type | Dimension (mm)<br><i>diameter / thickness / hole</i> | Characteristic<br><i>type of grain / grit / hardness / bonding agent</i> | Package<br>(pcs) | Maximum RPM |
|----------------|------|------------------------------------------------------|--------------------------------------------------------------------------|------------------|-------------|
| GFW 13439      | T41  | 115 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25               | 13.300      |
| GFW 13440      | T41  | 115 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25               | 13.300      |
| GFW 13441      | T41  | 125 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25               | 12.200      |
| GFW 13442      | T41  | 125 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25               | 12.200      |
| GFW 13443      | T41  | 150 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25               | 10.200      |
| GFW 13444      | T41  | 150 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25               | 10.200      |
| GFW 13445      | T41  | 180 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25               | 8.500       |
| GFW 13446      | T41  | 180 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25               | 8.500       |
| GFW 13447      | T41  | 230 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25               | 6.600       |
| GFW 13448      | T41  | 230 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25               | 6.600       |
| GFW 13452      | T42  | 115 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25               | 13.300      |
| GFW 13453      | T42  | 115 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25               | 13.300      |
| GFW 13454      | T42  | 125 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25               | 12.200      |
| GFW 13455      | T42  | 125 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25               | 12.200      |
| GFW 13456      | T42  | 150 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25               | 10.200      |
| GFW 13457      | T42  | 150 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25               | 10.200      |
| GFW 13458      | T42  | 180 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25               | 8.500       |
| GFW 13459      | T42  | 180 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25               | 8.500       |
| GFW 13460      | T42  | 230 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25               | 6.600       |
| GFW 13461      | T42  | 230 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25               | 6.600       |




### Cutting discs for METAL

Flat for cutting type T41



Bonding agent - resin BF

Maximum operating speed 80 m/s





| Catalog number | Type | Dimension (mm)<br><i>diameter / thickness / hole</i> | Characteristic<br><i>type of grain / grit / hardness / bonding agent</i> | Package<br>(pcs) | Maximum RPM |
|----------------|------|------------------------------------------------------|--------------------------------------------------------------------------|------------------|-------------|
| GFW 13449      | T41  | 300 x 3.2 x 32                                       | A 24 R BF                                                                | 10               | 5.100       |
| GFW 16972      | T41  | 350 x 3.5 x 25.4                                     | A 24 R BF                                                                | 10               | 4.370       |
| GFW 13450      | T41  | 350 x 3.5 x 32                                       | A 24 R BF                                                                | 10               | 4.370       |
| GFW 18122      | T41  | 400 x 4.0 x 25.4                                     | A 24 R BF                                                                | 10               | 3.800       |
| GFW 13451      | T41  | 400 x 4.0 x 32                                       | A 24 R BF                                                                | 10               | 3.800       |

## GERMAFLEX LINE



### Cutting discs for STAINLESS STEEL INOX

Flat for cutting type T41



Bonding agent - resin BF



Maximum operating speed 80 m/s

| Catalog number | Type | Dimension (mm)<br><i>diameter / thickness / hole</i> | Characteristic<br><i>type of grain / grit / hardness / bonding agent</i> | Package (pcs) | Maximum RPM |
|----------------|------|------------------------------------------------------|--------------------------------------------------------------------------|---------------|-------------|
| GFW 13484      | T41  | 115 x 1.0 x 22.2                                     | A 60 Q Inox BF                                                           | 50            | 13.300      |
| GFW 13477      | T41  | 115 x 1.6 x 22.2                                     | A 46 Q Inox BF                                                           | 50            | 13.300      |
| GFW 13469      | T41  | 115 x 2.0 x 22.2                                     | A 36 Q Inox BF                                                           | 25            | 13.300      |
| GFW 13485      | T41  | 125 x 1.0 x 22.2                                     | A 60 Q Inox BF                                                           | 50            | 12.200      |
| GFW 13478      | T41  | 125 x 1.6 x 22.2                                     | A 46 Q Inox BF                                                           | 50            | 12.200      |
| GFW 13470      | T41  | 125 x 2.0 x 22.2                                     | A 36 Q Inox BF                                                           | 25            | 12.200      |
| GFW 13479      | T41  | 150 x 1.6 x 22.2                                     | A 46 Q Inox BF                                                           | 50            | 10.200      |
| GFW 13480      | T41  | 180 x 1.6 x 22.2                                     | A 46 Q Inox BF                                                           | 25            | 8.500       |
| GFW 13481      | T41  | 230 x 1.9 x 22.2                                     | A 46 Q Inox BF                                                           | 25            | 6.600       |
| GFW 29746      | T41  | 300 x 3.2 x 25.4                                     | A 30 S Inox BF                                                           | 10            | 5.100       |
| GFW 29716      | T41  | 300 x 3.2 x 32                                       | A 30 S Inox BF                                                           | 10            | 5.100       |
| GFW 29747      | T41  | 350 x 3.5 x 25.4                                     | A 30 S Inox BF                                                           | 10            | 4.370       |
| GFW 29718      | T41  | 350 x 3.5 x 32                                       | A 30 S Inox BF                                                           | 10            | 4.370       |
| GFW 29717      | T41  | 400 x 4.0 x 32                                       | A 30 S Inox BF                                                           | 10            | 3.800       |



### Cutting discs for STAINLESS STEEL INOX

Flat for cutting type T41



Bonding agent - resin BF

Maximum operating speed 80 m/s



Can 10 pcs

| Catalog number | Type | Dimension (mm)<br><i>diameter / thickness / hole</i> | Characteristic<br><i>type of grain / grit / hardness / bonding agent</i> | Package (pcs) | Maximum RPM |
|----------------|------|------------------------------------------------------|--------------------------------------------------------------------------|---------------|-------------|
| GFW 29752      | T41  | 125 x 1.0 x 22.2                                     | A 60 Q Inox BF                                                           | 1             | 12.200      |



# Cutting and grinding discs for metal and stone


**Germa  
Flex**

## GERMAFLEX LINE




### Cutting and grinding discs for ALUMINUM

Flat for cutting type T41




Depressed for cutting type T27



Bonding agent - resin BF

Maximum operating speed 80 m/s




| Catalog number | Type | Dimension (mm)<br>diameter / thickness / hole | Characteristic<br>type of grain / grit / hardness / bonding agent | Package (pcs) | Maximum RPM |
|----------------|------|-----------------------------------------------|-------------------------------------------------------------------|---------------|-------------|
| GFW 13473      | T41  | 115 x 1.6 x 22.2                              | A 46 N ALU BF                                                     | 50            | 13.300      |
| GFW 13474      | T41  | 125 x 1.6 x 22.2                              | A 46 N ALU BF                                                     | 50            | 12.200      |
| GFW 13475      | T41  | 180 x 1.6 x 22.2                              | A 46 N ALU BF                                                     | 25            | 8.500       |
| GFW 13476      | T41  | 230 x 1.9 x 22.2                              | A 46 N ALU BF                                                     | 25            | 6.600       |
| GFW 29754      | T27  | 125 x 4.0 x 22.2                              | A 36 N ALU BF                                                     | 10            | 12.200      |




### Grinding discs for METAL

Depressed for grinding type T27



Bonding agent - resin BF

Maximum operating speed 80 m/s




| Catalog number | Type | Dimension (mm)<br>diameter / thickness / hole | Characteristic<br>type of grain / grit / hardness / bonding agent | Package (pcs) | Maximum RPM |
|----------------|------|-----------------------------------------------|-------------------------------------------------------------------|---------------|-------------|
| GFW 13462      | T27  | 115 x 6.0 x 22.2                              | A 24 R BF                                                         | 10            | 13.300      |
| GFW 13463      | T27  | 125 x 6.0 x 22.2                              | A 24 R BF                                                         | 10            | 12.200      |
| GFW 13464      | T27  | 150 x 6.0 x 22.2                              | A 24 R BF                                                         | 10            | 10.200      |
| GFW 13465      | T27  | 180 x 6.0 x 22.2                              | A 24 R BF                                                         | 10            | 8.500       |
| GFW 13466      | T27  | 180 x 8.0 x 22.2                              | A 24 R BF                                                         | 10            | 8.500       |
| GFW 13467      | T27  | 230 x 6.0 x 22.2                              | A 24 R BF                                                         | 10            | 6.600       |
| GFW 13468      | T27  | 230 x 8.0 x 22.2                              | A 24 R BF                                                         | 10            | 6.600       |




### Grinding discs for STAINLESS STEEL INOX

Depressed for cutting type T27



Bonding agent - resin BF

Maximum operating speed 80 m/s




| Catalog number | Type | Dimension (mm)<br>diameter / thickness / hole | Characteristic<br>type of grain / grit / hardness / bonding agent | Package (pcs) | Maximum RPM |
|----------------|------|-----------------------------------------------|-------------------------------------------------------------------|---------------|-------------|
| GFW 15856      | T27  | 115 x 6.0 x 22.2                              | A 24 S Inox BF                                                    | 10            | 13.300      |
| GFW 29726      | T27  | 125 x 4.0 x 22.2                              | A 24 S Inox BF                                                    | 10            | 12.200      |
| GFW 15858      | T27  | 125 x 6.0 x 22.2                              | A 24 S Inox BF                                                    | 10            | 12.200      |
| GFW 29727      | T27  | 150 x 4.0 x 22.2                              | A 24 S Inox BF                                                    | 10            | 10.200      |
| GFW 29728      | T27  | 150 x 7.0 x 22.2                              | A 24 S Inox BF                                                    | 10            | 10.200      |
| GFW 29745      | T27  | 230 x 6.0 x 22.2                              | A 24 S Inox BF                                                    | 10            | 6.600       |

## GERMAFLEX LINE




### Cutting discs for STONE

Flat for cutting type T41




Depressed for cutting type T42



Bonding agent - resin BF

Maximum operating speed 80 m/s



| Catalog number | Type | Dimension (mm)<br><i>diameter / thickness / hole</i> | Characteristic<br><i>type of grain / grit / hardness / bonding agent</i> | Package<br>(pcs) | Maximum RPM |
|----------------|------|------------------------------------------------------|--------------------------------------------------------------------------|------------------|-------------|
| GFW 13486      | T41  | 115 x 2.5 x 22.2                                     | C 24 R BF                                                                | 25               | 13.300      |
| GFW 13487      | T41  | 115 x 3.0 x 22.2                                     | C 24 R BF                                                                | 25               | 13.300      |
| GFW 13488      | T41  | 125 x 2.5 x 22.2                                     | C 24 R BF                                                                | 25               | 12.200      |
| GFW 13489      | T41  | 125 x 3.0 x 22.2                                     | C 24 R BF                                                                | 25               | 12.200      |
| GFW 13490      | T41  | 150 x 2.5 x 22.2                                     | C 24 R BF                                                                | 25               | 10.200      |
| GFW 13491      | T41  | 150 x 3.0 x 22.2                                     | C 24 R BF                                                                | 25               | 10.200      |
| GFW 13492      | T41  | 180 x 2.5 x 22.2                                     | C 24 R BF                                                                | 25               | 8.500       |
| GFW 13493      | T41  | 180 x 3.0 x 22.2                                     | C 24 R BF                                                                | 25               | 8.500       |
| GFW 13494      | T41  | 230 x 2.5 x 22.2                                     | C 24 R BF                                                                | 25               | 6.600       |
| GFW 13495      | T41  | 230 x 3.0 x 22.2                                     | C 24 R BF                                                                | 25               | 6.600       |
| GFW 13499      | T42  | 115 x 2.5 x 22.2                                     | C 24 R BF                                                                | 25               | 13.300      |
| GFW 13500      | T42  | 115 x 3.0 x 22.2                                     | C 24 R BF                                                                | 25               | 13.300      |
| GFW 13501      | T42  | 125 x 2.5 x 22.2                                     | C 24 R BF                                                                | 25               | 12.200      |
| GFW 13502      | T42  | 125 x 3.0 x 22.2                                     | C 24 R BF                                                                | 25               | 12.200      |
| GFW 13503      | T42  | 150 x 2.5 x 22.2                                     | C 24 R BF                                                                | 25               | 10.200      |
| GFW 13504      | T42  | 150 x 3.0 x 22.2                                     | C 24 R BF                                                                | 25               | 10.200      |
| GFW 13505      | T42  | 180 x 2.5 x 22.2                                     | C 24 R BF                                                                | 25               | 8.500       |
| GFW 13506      | T42  | 180 x 3.0 x 22.2                                     | C 24 R BF                                                                | 25               | 8.500       |
| GFW 13507      | T42  | 230 x 2.5 x 22.2                                     | C 24 R BF                                                                | 25               | 6.600       |
| GFW 13508      | T42  | 230 x 3.0 x 22.2                                     | C 24 R BF                                                                | 25               | 6.600       |

# Cutting and grinding discs for metal and stone



**Germa  
Flex**

## PREMIUM LINE



### Cutting discs for METAL

Flat for cutting type T41



Bonding agent - resin BF



Maximum operating speed 80 m/s

| Catalog number | Type | Dimension (mm)<br><i>diameter / thickness / hole</i> | Characteristic<br><i>type of grain / grit / hardness / bonding agent</i> | Package (pcs) | Maximum RPM |
|----------------|------|------------------------------------------------------|--------------------------------------------------------------------------|---------------|-------------|
| PRW 13960      | T41  | 115 x 1.0 x 22.2                                     | A 60 Q BF                                                                | 50            | 13.300      |
| PRW 13955      | T41  | 115 x 1.6 x 22.2                                     | A 46 Q BF                                                                | 50            | 13.300      |
| PRW 13961      | T41  | 125 x 1.0 x 22.2                                     | A 60 Q BF                                                                | 50            | 12.200      |
| PRW 13956      | T41  | 125 x 1.6 x 22.2                                     | A 46 Q BF                                                                | 50            | 12.200      |
| PRW 13957      | T41  | 150 x 1.6 x 22.2                                     | A 46 Q BF                                                                | 50            | 10.200      |
| PRW 13958      | T41  | 180 x 1.6 x 22.2                                     | A 46 Q BF                                                                | 25            | 8.500       |
| PRW 13959      | T41  | 230 x 1.9 x 22.2                                     | A 46 Q BF                                                                | 25            | 6.600       |




### Cutting discs for METAL

Flat for cutting type T41



Depressed for cutting type T42



Bonding agent - resin BF

Maximum operating speed 80 m/s

| Catalog number | Type | Dimension (mm)<br><i>diameter / thickness / hole</i> | Characteristic<br><i>type of grain / grit / hardness / bonding agent</i> | Package (pcs) | Maximum RPM |
|----------------|------|------------------------------------------------------|--------------------------------------------------------------------------|---------------|-------------|
| PRW 13925      | T41  | 115 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25            | 13.300      |
| PRW 13926      | T41  | 115 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25            | 13.300      |
| PRW 13927      | T41  | 125 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25            | 12.200      |
| PRW 13928      | T41  | 125 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25            | 12.200      |
| PRW 13929      | T41  | 150 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25            | 10.200      |
| PRW 13930      | T41  | 150 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25            | 10.200      |
| PRW 13931      | T41  | 180 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25            | 8.500       |
| PRW 13932      | T41  | 180 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25            | 8.500       |
| PRW 13933      | T41  | 230 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25            | 6.600       |
| PRW 13934      | T41  | 230 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25            | 6.600       |
| PRW 13938      | T42  | 115 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25            | 13.300      |
| PRW 13939      | T42  | 115 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25            | 13.300      |
| PRW 13940      | T42  | 125 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25            | 12.200      |
| PRW 13941      | T42  | 125 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25            | 12.200      |
| PRW 13942      | T42  | 150 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25            | 10.200      |
| PRW 13943      | T42  | 150 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25            | 10.200      |
| PRW 13944      | T42  | 180 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25            | 8.500       |
| PRW 13945      | T42  | 180 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25            | 8.500       |
| PRW 13946      | T42  | 230 x 2.5 x 22.2                                     | A 24 R BF                                                                | 25            | 6.600       |
| PRW 13947      | T42  | 230 x 3.0 x 22.2                                     | A 24 R BF                                                                | 25            | 6.600       |



## PREMIUM LINE


### Cutting discs for METAL




Can 10 pcs

Flat for cutting type T41

Bonding agent - resin BF



Maximum operating speed 80 m/s




| Catalog number | Type | Dimension (mm)<br><i>diameter / thickness / hole</i> | Characteristic<br><i>type of grain / grit / hardness / bonding agent</i> | Package (pcs) | Maximum RPM |
|----------------|------|------------------------------------------------------|--------------------------------------------------------------------------|---------------|-------------|
| PRW 31436      | T41  | 125 x 1.0 x 22.2                                     | A 60 Q BF                                                                | 1             | 12.200      |

### Cutting discs for METAL



Flat for cutting type T41

Bonding agent - resin BF



Maximum operating speed 80 m/s




| Catalog number | Type | Dimension (mm)<br><i>diameter / thickness / hole</i> | Characteristic<br><i>type of grain / grit / hardness / bonding agent</i> | Package (pcs) | Maximum RPM |
|----------------|------|------------------------------------------------------|--------------------------------------------------------------------------|---------------|-------------|
| PRW 13935      | T41  | 300 x 3.2 x 32                                       | A 24 R BF                                                                | 10            | 5.100       |
| PRW 13936      | T41  | 350 x 3.5 x 32                                       | A 24 R BF                                                                | 10            | 4.370       |
| PRW 18120      | T41  | 400 x 4.0 x 25.4                                     | A 24 R BF                                                                | 10            | 3.800       |
| PRW 13937      | T41  | 400 x 4.0 x 32                                       | A 24 R BF                                                                | 10            | 3.800       |

### Grinding discs for METAL




Depressed for grinding type T27

Bonding agent - resin BF



Maximum operating speed 80 m/s




| Catalog number | Type | Dimension (mm)<br><i>diameter / thickness / hole</i> | Characteristic<br><i>type of grain / grit / hardness / bonding agent</i> | Package (pcs) | Maximum RPM |
|----------------|------|------------------------------------------------------|--------------------------------------------------------------------------|---------------|-------------|
| PRW 13948      | T27  | 115 x 6.0 x 22.2                                     | A 24 R BF                                                                | 10            | 13.300      |
| PRW 13949      | T27  | 125 x 6.0 x 22.2                                     | A 24 R BF                                                                | 10            | 12.200      |
| PRW 13951      | T27  | 180 x 6.0 x 22.2                                     | A 24 R BF                                                                | 10            | 8.500       |
| PRW 13953      | T27  | 230 x 6.0 x 22.2                                     | A 24 R BF                                                                | 10            | 6.600       |



## Alfa

Grinding backing pads for abrasive velcro discs



| Catalog number | Dimension (mm)<br><i>diameter</i> | Fixing to<br>electrotools | Package<br>(pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------------------|------------------|-------------|
| AKA 12588      | 125                               | shank                     | 1                | 6.600       |

## Beta

Grinding backing pads for abrasive velcro discs




| Catalog number | Dimension (mm)<br><i>diameter</i> | Fixing to<br>electrotools | Package<br>(pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------------------|------------------|-------------|
| AKA 12589      | 125                               | M14                       | 1                | 12.200      |
| AKA 12590      | 125                               | M14 / shank               | 1                | 12.200      |

Shank - for fixing grinding backing pad to drill machine

## Sigma

Grinding backing pads for abrasive velcro discs





| Catalog number | Dimension (mm)<br><i>diameter</i> | Fixing to<br>electrotools | Package<br>(pcs) | Maximum RPM |     |
|----------------|-----------------------------------|---------------------------|------------------|-------------|-----|
| AKA 27509      | 75                                | M14                       | 1                | 12.200      | NEW |
| AKA 27512      | 75                                | M14 / trzpień             | 1                | 12.200      | NEW |
| AKA 27507      | 100                               | M14                       | 1                | 12.200      | NEW |
| AKA 27506      | 100                               | M14 / trzpień             | 1                | 12.200      | NEW |
| AKA 12596      | 125                               | M14                       | 1                | 12.200      |     |
| AKA 12597      | 125                               | M14 / trzpień             | 1                | 12.200      |     |
| AKA 12598      | 150                               | M14                       | 1                | 10.200      |     |
| AKA 12599      | 150                               | M14 / trzpień             | 1                | 10.200      |     |
| AKA 27477      | 180                               | M14                       | 1                | 8.500       |     |

Shank - for fixing grinding backing pad to drill machine

### Omega

Grinding backing pads for abrasive velcro discs





| Catalog number | Dimension (mm)<br>diameter | Fixing to<br>electrotools | Package<br>(pcs) | Maximum RPM |
|----------------|----------------------------|---------------------------|------------------|-------------|
| AKA 16060      | 125                        | M14                       | 1                | 12.200      |
| AKA 16064      | 125                        | M14 / shank               | 1                | 12.200      |

Shank - for fixing grinding backing pad to drill machine

### Delta

Grinding backing pads for abrasive fibre discs




| Catalog number | Dimension (mm)<br>diameter | Fixing to<br>electrotools | Package<br>(pcs) | Maximum RPM |
|----------------|----------------------------|---------------------------|------------------|-------------|
| AKA 12591      | 115                        | M14                       | 1                | 13.300      |
| AKA 12592      | 125                        | M14                       | 1                | 12.200      |
| AKA 12593      | 180                        | M14                       | 1                | 8.500       |



## Gerfelt

Felt flap discs




| Catalog number | Dimension (mm)<br><i>diameter / hole</i> | Package (pcs) | Maximum RPM |
|----------------|------------------------------------------|---------------|-------------|
| GFC 21040      | 125 x 22.2                               | 5             | 6.100       |




## Gerfelt FLAT

Felt discs




| Catalog number | Dimension (mm)<br><i>diameter / thickness / hole</i> | Package (pcs) | Maximum RPM |
|----------------|------------------------------------------------------|---------------|-------------|
| GFC 32401      | 125 x 10 x 22.2                                      | 5             | 6.100       |



## Gerfelt

Velcro felt discs for grinding backing pads




| Catalog number | Dimension (mm) | Package (pcs) | Maximum RPM |
|----------------|----------------|---------------|-------------|
| GFC 32403      | 75             | 10            | 12.200      |
| GFC 32394      | 125            | 10            | 12.200      |
| GFC 32395      | 150            | 10            | 10.200      |



## Gerwool

Natural polishing wool pads for grinding backing pads



| Catalog number | Dimension (mm)<br><i>diameter</i> | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------|-------------|
| AKA 12606      | 125                               | 1             | 12.200      |
| AKA 21031      | 150                               | 1             | 10.200      |



## Gerwool

Syntetic polishing velcro wool pads for grinding backing pads




| Catalog number | Dimension (mm)<br><i>diameter</i> | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------|-------------|
| AKA 21034      | 115                               | 1             | 13.300      |
| AKA 12607      | 125                               | 1             | 12.200      |
| AKA 21035      | 150                               | 1             | 10.200      |
| AKA 27508      | 180                               | 1             | 8.500       |



## Gersponge

Polishing velcro sponge for grinding backing pads




| Catalog number | Dimension (mm)<br><i>diameter / thickness</i> | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------------------|---------------|-------------|
| AKA 27513      | 75 x 30                                       | 1             | 5.500       |
| AKA 27485      | 125 x 30                                      | 1             | 5.500       |
| AKA 27486      | 150 x 30                                      | 1             | 4.600       |





## Gersponge

Polishing sponge - fixing M14




| Catalog number | Dimension (mm)<br><i>diameter / thickness / fixing</i> | Colour         | Package (pcs) | Maximum RPM |
|----------------|--------------------------------------------------------|----------------|---------------|-------------|
| AKA 27487      | 150 x 50 x M14                                         | orange - hard  | 1             | 4.600       |
| AKA 27488      | 150 x 50 x M14                                         | white - middle | 1             | 4.600       |
| AKA 27489      | 150 x 50 x M14                                         | black - soft   | 1             | 4.600       |



## Retar

Velcro removeable pads for grinding backing pads



| Catalog number | Dimension (mm)<br><i>diameter</i> | Holes         | Package (pcs) | Maximum RPM |
|----------------|-----------------------------------|---------------|---------------|-------------|
| RER 15105      | 125                               | without holes | 1             | 12.200      |
| RER 15127      | 125                               | 8             | 1             | 12.200      |
| RER 15129      | 150                               | without holes | 1             | 10.200      |
| RER 15130      | 150                               | 6             | 1             | 10.200      |
| RER 15131      | 150                               | 8 + 1         | 1             | 10.200      |



## Yellow Block

Velcro hand sanding block



| Catalog number | Package (pcs)               |
|----------------|-----------------------------|
| AKA 27503      | For 125mm velcro discs<br>1 |



## Yellow Ring

Velcro hand sanding block



NEW

| Catalog number | Package (pcs)               |
|----------------|-----------------------------|
| AKA 27514      | For 125mm velcro discs<br>1 |



## Nylon

Fixing spindle - adapter



| Catalog number | Package (pcs) |
|----------------|---------------|
| AKA 27481      | 1             |









**Metal**  
**INOX**

Do cięcia stali  
kwasoodpornej

80 m/s

max. 6600



**USE SAFETY GUARD**

Nie dozwolone szlifowanie czółami  
Nicht zulässig für Schrupper/Drehen  
Not to be used for grinding/fettling

**T 41**

**230x1.9x22.2**  
**A46QBF**

Art.-No.  
**GFW 13481**

Made for GP

100%

100%

100%

100%

100%

100%

100%